

# Empire<sup>®</sup> CABLES

## PRICE LIST

With effect from 15/07/2020



IS : 694



**Empire** BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR P.V.C. INSULATED (UNSHEATHED AND SHEATHED) FR CABLES MANUFACTURED CONFORMING TO IS : 694/1990 FOR WORKING VOLTAGE UPTO AND INCLUDING 1100 VOLTS GRADE

**INDUSTRIAL CABLE** *Empire* P.V.C. INSULATED (UNSHEATHED)

S.No.	Nominal Area (Sq. mm)	Current Rating AMP	Price Rs.	Length Per Coil of 100 Mtrs.	
				Single-core	Twin Twisted / Twin Flat Parallel
1.	0.50	5 AMP	701	1610	1998
2.	0.75	8 AMP	1017	2107	2662
3.	1.00	13 AMP	1262	2816	3665
4.	1.50	17 AMP	1851	4026	-
5.	2.50	24 AMP	2980	6743	-
6.	4.00	30 AMP	4376	10378	-
7.	6.00	38 AMP	6622	-	-
8.	10.00	52 AMP	11055	-	-
9.	16.00	70 AMP	18062	-	-
10.	25.00	88 AMP	29312	-	-
11.	35.00	110 AMP	40341	-	-
12.	50.00	145 AMP	58263	-	-
13.	70.00	215 AMP	85364	-	-
14.	95.00	260 AMP	111677	-	-
15.	120.00	305 AMP	136884	-	-
16.	150.00	355 AMP	178376	-	-
17.	185.00	415 AMP	236172	-	-
18.	240.00	500 AMP	293933	-	-
19.	300.00	585 AMP	372206	-	-
20.	400.00	695 AMP	491326	-	-
21.	500.00	735 AMP	616391	-	-
22.	630.00	750 AMP	761073	-	-
23.	1000.00	1000 AMP	1233940	-	-

**INDUSTRIAL CABLE** *Empire* FR P.V.C. INSULATED & P.V.C. SHEATHED ROUND FLEXIBLE

Length per coil of 100 Mtrs.

S.No.	Nominal Area (Sq. mm)	Current Rating AMP	2 CORE	3 CORE	4 CORE	5 CORE
24.	0.50	5 AMP	2224	2966	4007	5589
25.	0.75	8 AMP	2958	3964	4934	6879
26.	1.00	13 AMP	3865	4877	6057	8210
27.	1.50	17 AMP	4772	6656	8687	11753
28.	2.50	24 AMP	7967	10473	13532	18108
29.	4.00	30 AMP	11577	15657	20484	26098
30.	6.00	38 AMP	16267	23480	31410	39529
31.	10.00	52 AMP	26710	38669	51327	64409
32.	16.00	70 AMP	43075	64645	85615	107746
33.	25.00	88 AMP	83401	99291	130449	165468
34.	35.00	110 AMP	112064	143464	186394	221828
35.	50.00	145 AMP		204613	257449	318776
36.	70.00	215 AMP		275582	360251	
37.	95.00	260 AMP		380902	465816	
38.	120.00	305 AMP		501873	647258	
39.	150.00	355 AMP			943587	



**Empire** FR P.V.C. INSULATED SINGLE SOLID/STRANDED BARE COPPER CONDUCTOR CABLE 1100 VOLTS CONFORMING TO IS : 694-1990

**INDUSTRIAL CABLE**

	Description and Sizes Nominal Area (Sq. mm)	Current Rating AMP	Unit Per Coil of 100 Mtrs.			
			SOLID		STRANDED	
			Size	Price (Rs.)	Size	Price (Rs.)
40.	1.00	11 AMP	(1/1.130 MM)	1401		
41.	1.50	14 AMP	(1/1.40 MM)	2019	(3/0.80 mm)	2082
42.	2.50	19 AMP	(1/1.78 MM)	3279	(3/1.40 mm)	3349
43.	4.00	26 AMP	(1/2.30 MM)	5103	(7/.85 mm)	5144
44.	6.00	31 AMP	(1/2.80 MM)	7661	(7/1.04 mm)	7896
45.	10.00	42 AMP	(1/3.55 MM)	13105	(7/1.35 mm)	13179
46.	16.00	57 AMP			(7/1.70 mm)	19980
47.	25.00	71 AMP			(7/2.14 mm)	34730
48.	35.00	91 AMP			(7/2.52 mm)	46392
49.	50.00	120 AMP			(19/1.83 mm)	69378

**Empire 3 CORE SUBMERSIBLE CABLES**

**Empire** Flat P.V.C. Insulated and P.V.C. sheathed cable for use with submersible pumps and having conductor of high conductivity cores one red, one blue, one yellow laid flat, filled and sheathed with P.V.C. Compound Conforming to is : 694-1990 upto and including 1100 volts.

**INDUSTRIAL CABLE**

50.	1.5 sq. mm	14 AMP	6646	100 mtrs.
51.	2.5 sq. mm	19 AMP	10324	100 mtrs.
52.	4.0 sq. mm	26 AMP	16606	100 mtrs.
53.	6.0 sq. mm	31 AMP	22524	100 mtrs.
54.	10.0 sq. mm	42 AMP	37776	100 mtrs.
55.	16.0 sq. mm	57 AMP	64247	100 mtrs.
56.	25.0 sq. mm	71 AMP	94037	100 mtrs.
57.	35.0 sq. mm	91 AMP	127896	100 mtrs.
58.	50.0 sq. mm	120 AMP	177071	100 mtrs.

**Empire CABLES FLEXIBLE MULTI-CORE WITH ANNEALED BARE COPPER CONDUCTOR FR PVC INSULATED AND P.V.C. SHEATHED GENERALLY CONFORMING to IS : 694-1990**

**INDUSTRIAL CABLE**

S.No.	No. of cores	.50 mm 16/20	.75 mm 24/20	1 mm <sup>2</sup> 32/20	1.5 mm <sup>2</sup> 30/.25	2.5 mm <sup>2</sup> 50/.25	
59.	5 Core	55.90	68.79	81.83	117.52	181.08	Rate Per Mtrs
60.	6 Core	69.05	87.67	97.51	133.45	203.02	Rate Per Mtrs
61.	7 Core	70.49	89.77	105.04	146.70	230.01	Rate Per Mtrs
62.	8 Core	81.08	102.81	125.98	168.27	271.23	Rate Per Mtrs
63.	10 Core	102.42	126.78	162.61	209.83	338.81	Rate Per Mtrs
64.	12 Core	130.60	157.33	190.30	249.27	410.68	Rate Per Mtrs
65.	14 Core	136.68	170.98	206.42	307.99	457.60	Rate Per Mtrs
66.	16 Core	156.00	202.13	237.22	321.00	518.13	Rate Per Mtrs
67.	19 Core	178.10	217.93	268.44	396.16	612.92	Rate Per Mtrs
68.	20 Core	188.00	246.62	286.73	422.84	655.10	Rate Per Mtrs
69.	24 Core	225.08	236.29	341.62	501.57	983.72	Rate Per Mtrs



# Empire<sup>®</sup> CABLES

IS : 694



**Empire** F.R. P.V.C. INSULATED UNSHEATHED CABLE WITH ANNEALED BARE COPPER  
1100 VOLTS FLEXIBLE (MULTI-STRAND FOR INDUSTRIAL WIRING) CONFORMING to IS : 694-1990

**INDUSTRIAL CABLE**

S.No.	Size mm	Nominal Area (Sq. mm)	Price (Rs.)		Length Per Coil
			FR	FRLS	
70.	24/20	.75	985	1092	90 Mtrs.
71.	14/3	1.00	1174	1293	90 Mtrs.
72.	22/3	1.50	1791	1916	90 Mtrs.
73.	36/3	2.50	2817	3003	90 Mtrs.
74.	56/3	4.00	4340	4720	90 Mtrs.
75.	85/3	6.00	6436	6996	90 Mtrs.

**Empire ALUMINIUM CONDUCTORS IS : 694-1990**

**INDUSTRIAL CABLE**

S.No.	Upto & Including 1100 Volts Nominal Area Sq. mm	Single Core P V C	Single Core P V C	FLAT-TWIN CORE 1100 Volts (Black)
		UNSHEATHED 1100 Volts	SHEATHED 1100 Volts	

**INDUSTRIAL CABLE**

**Empire SOLID ALUMINIUM CONDUCTORS**

		(100 Mtrs.)	(100 Mtrs.)	(90 Mtrs.)	(100 Mtrs.)
		76.	1.5	364	590
77.	2.5	540	740	1345	1645
78.	4.0	535	966	1632	2211
79.	6.0	1092	1381	2295	3092
80.	10.0	1726	2036	3285	5023

**INDUSTRIAL CABLE**

**Empire STRANDED ALUMINIUM CONDUCTORS**

81.	1.5	420	645	1212	100 Mtrs.
82.	2.5	655	803	1567	100 Mtrs.
83.	4.0	892	1102	2195	100 Mtrs.
84.	6.0	1240	1518	2932	100 Mtrs.
85.	10.0	2080	2350	4897	100 Mtrs.
86.	16.0	3125	3910	7010	100 Mtrs.
87.	25.0	4860	5777		100 Mtrs.
88.	35.0	6697	8140		100 Mtrs.
89.	50.0	8813	10938		100 Mtrs.
90.	70.0	12615			100 Mtrs.
91.	95.0	16602			100 Mtrs.
92.	120.0	20991			100 Mtrs.
93.	150.0	26395			100 Mtrs.
94.	185.0	32940			100 Mtrs.

**INDUSTRIAL CABLE**

**Empire PVC INSULATED & SHEATHED ALUMINIUM CABLES 1100 VOLTS GRADE CONFORMING IS : 694/1990**

95.	4 Sq. mm X 3 Core		2932	90 Mtrs.
96.	4 Sq. mm X 4 Core		3425	90 Mtrs.
97.	6 Sq. mm X 3 Core		3740	90 Mtrs.
98.	6 Sq. mm X 4 Core		4706	90 Mtrs.
99.	10 Sq. mm X 3 Core		4975	90 Mtrs.
100.	10 Sq. mm X 4 Core		7144	90 Mtrs.
101.	16 Sq. mm X 4 Core		10685	90 Mtrs.
102.	25 Sq. mm X 4 Core		16950	90 Mtrs.
103.	35 Sq. mm X 4 Core		20980	90 Mtrs.
104.	50 Sq. mm X 4 Core		29334	90 Mtrs.



A TRUSTED NAME IN CABLES



Quality Control Manufacturing Certificate Code No. DI/QC/M/679

**INDUSTRIAL CABLE** *Empire* P.V.C. ROUND (INSULATED & SHEATHED) (TWISTED CONDUCTORS)

S.No.	Size mm	Core	Code No.		Price	Length Per Coil
105.	14/.0060	2 Core	(602)	(Annealed B.C.)	1205	90 Mtrs.
106.	14/.0060	3 Core	(603)	(Annealed B.C.)	1660	90 Mtrs.
107.	23/.0060	2 Core	(652)	(Annealed B.C.)	1685	90 Mtrs.
108.	23/.0060	3 Core	(653)	(Annealed B.C.)	2295	90 Mtrs.
109.	23/.0060	4 Core	(654)	(Annealed B.C.)	3050	90 Mtrs.
110.	40/.0060	2 Core	(682)	(Annealed B.C.)	2705	90 Mtrs.
111.	40/.0060	3 Core	(683)	(Annealed B.C.)	3765	90 Mtrs.
112.	40/.0060	4 Core	(684)	(Annealed B.C.)	5230	90 Mtrs.
113.	70/.0060	2 Core	(782)	(Annealed B.C.)	4515	90 Mtrs.
114.	70/.0060	3 Core	(783)	(Annealed B.C.)	5981	90 Mtrs.
115.	70/.0060	4 Core	(784)	(Annealed B.C.)	7913	90 Mtrs.
116.	110/.0060	3 Core	(793)	(Annealed B.C.)	9616	90 Mtrs.
117.	110/.0060	4 Core	(794)	(Annealed B.C.)	12845	90 Mtrs.
118.	14/.0076	2 Core	(802)	(Annealed B.C.)	1504	90 Mtrs.
119.	14/.0076	3 Core	(803)	(Annealed B.C.)	2370	90 Mtrs.
120.	23/.0076	2 Core	(852)	(Annealed B.C.)	2272	90 Mtrs.
121.	23/.0076	3 Core	(853)	(Annealed B.C.)	3220	90 Mtrs.
122.	23/.0076	4 Core	(854)	(Annealed B.C.)	4110	90 Mtrs.
123.	40/.0076	2 Core	(882)	(Annealed B.C.)	3336	90 Mtrs.
124.	40/.0076	3 Core	(883)	(Annealed B.C.)	4975	90 Mtrs.
125.	40/.0076	4 Core	(884)	(Annealed B.C.)	6745	90 Mtrs.
126.	70/.0076	2 Core	(982)	(Annealed B.C.)	6724	90 Mtrs.
127.	70/.0076	3 Core	(983)	(Annealed B.C.)	8058	90 Mtrs.
128.	70/.0076	4 Core	(984)	(Annealed B.C.)	10580	90 Mtrs.
129.	70/.0076	2½ Core	(Flat) (A.C. Wire)	(Annealed B.C.)	7580	90 Mtrs.
130.	110/.0076	3 Core	(993)	(Annealed B.C.)	12280	90 Mtrs.
131.	110/.0076	4 Core	(994)	(Annealed B.C.)	15080	90 Mtrs.
132.	23/.0052	2 Core	(552)	(Annealed B.C.)	1480	90 Mtrs.
133.	23/.0052	3 Core	(553)	(Annealed B.C.)	1893	90 Mtrs.
134.	23/.0052	4 Core	(554)	(Annealed B.C.)	2704	90 Mtrs.
135.	40/.0052	2 Core	(582)	(Annealed B.C.)	2547	90 Mtrs.
136.	40/.0052	3 Core	(583)	(Annealed B.C.)	3375	90 Mtrs.
137.	40/.0052	4 Core	(584)	(Annealed B.C.)	4280	90 Mtrs.

**INDUSTRIAL CABLE** *Empire* P.V.C. ROUND (INSULATED & SHEATHED) (COTTON BRANDED)

138.	23/.0060	2 Core	-	(Annealed B.C.)	2360	90 Mtrs.
139.	23/.0060	3 Core	-	(Annealed B.C.)	2991	90 Mtrs.
140.	40/.0060	3 Core	-	(Annealed B.C.)	5104	90 Mtrs.
141.	23/.0076	3 Core	-	(Annealed B.C.)	4006	90 Mtrs.
142.	40/.0076	3 Core	-	(Annealed B.C.)	5808	90 Mtrs.

**INDUSTRIAL CABLE** *Empire* P.V.C. FLEXIBLE TWIN-TWISTED

143.	14/.0052	EMPIRE	503	(B.C.)	576	90 Mtrs.
144.	23/.0052	EMPIRE	253	(B.C.)	952	90 Mtrs.
145.	40/.0052	EMPIRE	901	(B.C.)	1545	90 Mtrs.
146.	14/.0076	EMPIRE	-	(A.B.C.)	1060	90 Mtrs.
147.	23/.0076	EMPIRE	-	(A.B.C.)	1617	90 Mtrs.
148.	40/.0076	EMPIRE	-	(A.B.C.)	2668	90 Mtrs.





A TRUSTED NAME IN CABLES

ISO  
9001

Quality Control Manufacturing Certificate Code No. DI/QC/M/679

**Empire F.R. P.V.C. INSULATED UNSHEATHED, CABLE (TWISTED-COPPER)**

'EMPIRE' Wires & Cables 'Bright/Stranded annealed plain circular electrolytic copper conductor F.R. P.V.C.' insulated Cable suitable for Lighting Installation, Electrical equipment and Industrial use 1100 Volts grade conforming to B.S. 2004.

**INDUSTRIAL CABLE**

S.No.	Size	S.W.G.	AMP	VIR Rate	Length Per Coil
149.	1/.044	(1/18)	5	1430	90 Mtrs.
150.	1/.064	(1/16)	18	2992	90 Mtrs.
151.	3/.029	(3/22)	10	1804	90 Mtrs.
152.	3/.036	(3/20)	15	2452	90 Mtrs.
153.	7/.029	(7/22)	20	3831	90 Mtrs.
154.	7/.036	(7/20)	28	5610	90 Mtrs.
155.	7/.044	(7/18)	36	8372	90 Mtrs.
156.	7/.064	(7/16)	53	17312	90 Mtrs.
157.	7/083	(7/14)	57	28341	90 Mtrs.
158.	19/.044	(19/18)	62	22697	90 Mtrs.
159.	19/.064	(19/16)	97	45269	90 Mtrs.
160.	19/.083	(19/14)	140	82661	90 Mtrs.
161.	37/.064	(37/16)	177	87925	90 Mtrs.
162.	37/.083	(37/14)	220	145725	90 Mtrs.

**Empire P.V.C. TWIN-PARALLEL**

**INDUSTRIAL CABLE**

163.	EMPIRE	703	14/.0052	[B.C.]	770	90 Mtrs.
164.	EMPIRE	751	23/.0052	[B.C.]	1193	90 Mtrs.
165.	Transparent	704	14/.0052	[B.C.]	898	90 Mtrs.
166.	Transparent	752	23/.0052	[B.C.]	1377	90 Mtrs.
167.	Transparent	762	40/.0052	[B.C.]	2321	90 Mtrs.

**Empire P.V.C. TWIN-FLAT**

**INDUSTRIAL CABLE**

168.	EMPIRE	403	14/.0052	[B.C.]	775	90 Mtrs.
169.	EMPIRE	Special	14/.0052	[B.C.]	1000	90 Mtrs.
170.	EMPIRE	451	23/.0052	[B.C.]	1193	90 Mtrs.
171.	EMPIRE	-	14/.0060	[A.B.C.]	1180	90 Mtrs.
172.	EMPIRE	-	14/.0076	[A.B.C.]	1460	90 Mtrs.
173.	EMPIRE	-	23/.0076	[A.B.C.]	2217	90 Mtrs.
174.	EMPIRE	-	40/.0076	[A.B.C.]	3223	90 Mtrs.

**Empire P.V.C. (UNSHEATHED) SINGLE CORE**

**INDUSTRIAL CABLE**

S.No	Size	S.W.G.		Price	Length Per Coil
175.	7/.0060	(7/38)	(Annealed Tinned Copper)	227	90 Mtrs.
176.	14/.0060	(14/38)	(Annealed Tinned Copper)	430	90 Mtrs.
177.	7/.0076	(7/36)	(Annealed Tinned Copper)	317	90 Mtrs.
178.	14/.0076	(14/36)	(Annealed Tinned Copper)	620	90 Mtrs.
179.	23/.0076	(23/36)	(Annealed Tinned Copper)	950	90 Mtrs.
180.	40/.0076	(40/36)	(Annealed Tinned Copper)	1617	90 Mtrs.



A TRUSTED NAME IN CABLES



Quality Control Manufacturing Certificate Code No. DI/QC/M/679

**INDUSTRIAL CABLE** *Empire* P.V.C. (UNSHEATHED) SINGLE CORE

181.	14/.0076	-	(Annealed Bare Copper)	614	90 Mtrs.
182.	23/.0076	-	(Annealed Bare Copper)	890	90 Mtrs.
183.	40/.0076	-	(Annealed Bare Copper)	1450	90 Mtrs.
184.	70/.0076	-	(Annealed Bare Copper)	2245	90 Mtrs.
185.	110/.0076	-	(Annealed Bare Copper)	4056	90 Mtrs.

**INDUSTRIAL CABLE** *Empire* P.V.C. HOOK-UP WIRE

186.	1/.020	(1/25)	Annealed Tinned Copper	332	90 Mtrs.
187.	1/.024	(1/23)	Annealed Tinned Copper	450	90 Mtrs.
188.	1/.028	(1/22)	Annealed Tinned Copper	669	90 Mtrs.
189.	1/.036	(1/20)	Annealed Tinned Copper	953	90 Mtrs.

**INDUSTRIAL CABLE** *Empire* P.V.C. FLAT-TWIN & PAIR CABLE FOR TELEPHONE WIRING

190.	1/.016	(0.40 mm)	(Annealed Tinned Copper)	530	90 Mtrs.
191.	1/.020	(0.51 mm)	(Annealed Tinned Copper)	715	90 Mtrs.
192.	1/.024	(0.61 mm)	(Annealed Tinned Copper)	1098	100 Mtrs.
193.	1/.028	(0.71 mm)	(Annealed Tinned Copper)	1457	100 M trs.
194.	2 Pair, 3 Pair	(0.51 mm) ATC	UNTAPED PER PAIR	705	100 Mtrs.
195.	4 Pair to 100 Pairs	(0.51 mm) ATC	UNTAPED PER PAIR	685	100 Mtrs.
NOTE : FOR TAPED TELEPHONE PAIR CABLE 7% EXTRA WILL BE CHAGRED					
196.	DROP WIRE	(0.71 mm) ABC		1342	90 Mtrs.
197.	2 Pair, 3 Pair	(0.40 mm) ATC	TAPED PER PAIR	461	90 Mtrs.
198.	4 Pair to 100 Pairs	(0.40 mm) ATC	TAPED PER PAIR	449	90 Mtrs.

**INDUSTRIAL CABLE** *Empire* T.V. CO-AXIAL C ABLES

			Armoured Per Mts.	Unmroured	
199.		RG - 59	71	1108	90 Mtrs.
200.		RG - 6 (Foam Type)	87	1526	90 Mtrs.
201.		RG - 11	146	3322	90 Mtrs.
202.		RG - 6 Copper		2490	90 Mtrs.

*Empire* CABLES T.R.S./T.R.S. BRAIDED CABLES AS PER IS : 9868

**INDUSTRIAL CABLE** T.R.S. FLEXIBLE STAPLE BRAIDED WIRES/FAN FEXIBLE

203.	23/.0060	(Fan Flexible for light wgt.)	2 Core	1412	45 Mtrs.
204.	23/.0060	(Fan Flexible for light wgt.)	3 Core	1898	45 Mtrs.
205.	40/.0060	(Fan Flexible for light wgt.)	2 Core	2027	45 Mtrs.
206.	40/.0060	(Fan Flexible for light wgt.)	3 Core	2752	45 Mtrs.
207.	16/.20 mm	(Fan Flexible for light wgt.)	2 Core	1760	45 Mtrs.
208.	16/.20 mm	(Fan Flexible for light wgt.)	3 Core	2217	45 Mtrs.
209.	24/.20 mm	(Fan Flexible for light wgt.)	2 Core	2217	45 Mtrs.
210.	24/.20 mm	(Fan Flexible for light wgt.)	3 Core	2820	45 Mtrs.
211.	23/.0052	(Fan Flexible for light wgt.)	2 Core	1759	45 Mtrs.
212.	23/.0052	(Fan Flexible for light wgt.)	3 Core	1685	45 Mtrs.





A TRUSTED NAME IN CABLES



Quality Control Manufacturing Certificate Code No. DI/QC/M/679

**INDUSTRIAL CABLE**

**Empire T.R.S. FLEXIBLE**

S.No.	Size & Area Sq. mm	2 Core	3 Core	4 Core	Length
213.	16/.20 mm (0.50 mm)	5187	6657	9072	100 Mtrs.
214.	24/.20 mm (0.75 mm)	6293	8875	10664	100 Mtrs.
215.	32/.20 mm (1.00 mm)	12817	16280	20442	100 Mtrs.
216.	48/.20 mm (1.5 mm) (30/.25 mm)	15960	20125	25572	100 Mtrs.
217.	80/.20 mm (2.5 mm) (50/.25 mm)	21784	29052	36432	100 Mtrs.
218.	128/.20 mm (4.0 mm) (56/.3 mm)	29380	39606	51759	100 Mtrs.
219.	6 mm (85/.3 mm)	44084	59113	77335	100 Mtrs.
220.	10 mm (140/.3 mm)	62886	87637	88809	100 Mtrs.
221.	16 mm (101/.45 mm) (226/.3 mm)	92672	131168	173129	100 Mtrs.
222.	25 mm (157/.45 mm)	138445	200715	266319	100 Mtrs.
223.	35 mm (220/.45 mm)	188600	275186	363960	100 Mtrs.
224.	50 mm (314/.45 mm)	267472	376075	527519	100 Mtrs.

**INDUSTRIAL CABLE Empire WELDING CABLES (T.R.S.) AS PER IS : 9857 COPPER CONDUCTOR**

225.	100 Amp (16 mm) (509/.2 mm ABC)	33495	100 Mtrs.
226.	150 Amp (25 mm) (796/.2 mm ABC)	47710	100 Mtrs.
227.	200 Amp (35 mm) (1114/.2 mm ABC)	61172	100 Mtrs.
228.	400 Amp (50 mm) (1591/.2 mm ABC)	91237	100 Mtrs.
229.	600 Amp (70 mm) (2228/.2 mm ABC)	123050	100 Mtrs.

**INDUSTRIAL CABLE**

**TELEPHONE ARMoured CABLES**

**"Empire BRAND" ARMoured TELEPHONE CABLES RATE PER MTRS.**

'Empire' Brand Telephone Armoured Pair Cables with annealed, tinned electrolytic Copper Conductor P.V.C. Insulated and P.V.C. sheathed twisted pairs bunched together in Concentric layers so as to minimize cross-talk and wrapped with Mellnex or P.V.C. Tape, armoured with G.I. wire G.I. wire/strip as per IS : 1554 and over all P.V.C. sheathed Cable Conforming to I.T.D. Specification.

S.No.	No. of Pairs	0.51 MM (0.020)		
230.	1	61.70	Rates per Mtr.	
231.	2	67.66	Rates per Mtr.	
232.	3	85.50	Rates per Mtr.	
233.	4	94.99	Rates per Mtr.	
234.	5	99.76	Rates per Mtr.	
235.	6	118.76	Rates per Mtr.	
236.	7	133.28	Rates per Mtr.	
237.	8	147.47	Rates per Mtr.	
238.	10	166.07	Rates per Mtr.	
239.	15	232.12	Rates per Mtr.	
240.	20	293.94	Rates per Mtr.	
241.	25	368.00	Rates per Mtr.	
242.	30	440.84	Rates per Mtr.	
243.	35	518.00	Rates per Mtr.	
244.	40	598.22	Rates per Mtr.	
245.	50	750.72	Rates per Mtr.	
246.	75	941.00	Rates per Mtr.	
247.	100	1192.46	Rates per Mtr.	

**UNSCREENED CABLE FOR COMPUTER & CAMERA WIRE**

EMPIRE MULTICORE P.V.C. INSULATED TINNED COPPER CONDUCTOR WIRES, CORES TWISTED TAPED WITH POLYESTER FILMS & P.V.C. SHEATHED LENGTH 90 MTRS.

**INDUSTRIAL CABLE**

S.No.	Size	SWG	No. of Cores	Price	Length
248.	7/.0052	7/39	2 Core to 40 Core	266 per core	90 Mtrs.
249.	14/.0052	14/39	2 Core to 40 Core	471 per core	90 Mtrs.
250.	7/.0060	7/38	2 Core to 40 Core	306 per core	90 Mtrs.
251.	14/.0060	14/38	2 Core to 40 Core	520 per core	90 Mtrs.
252.	CC. T.V	Camera Wire	3+1	1180	90 Mtrs.?
253.	CC. T.V.	Camera Wire	4+1	2557	90 Mtrs.
254.	CC. T.V.	Camera Wire	6+1	3200	90 Mtrs.
255.	Cat 5e	Lan Cable	....	6745	305 Mtrs.
256.	Cat 6e	Lan Cable	....	10940	305 Mtrs.



A TRUSTED NAME IN CABLES



Quality Control Manufacturing Certificate Code No. DI/QC/M/679

## SHIELDED (SCREENED) & COMPUTER CABLES

**Empire** Brand Multicore Screened Cables, P.V.C. Insulated Bare Copper Conductor, Cores Twisted & Taped with polyster Film and Braided with Tinned Copper wire & P.V.C. Sheathed.

S.No.	Description of Siz	No. of Cores	Price	Length
257.	14/.0060	2/C (Two) Core	3048	100 Mtrs.
258.	14/.0060	3/C (Three) Core	3554	100 Mtrs.
259.	14/.0060	4/C (Four) Core	4341	100 Mtrs.
260.	14/.0060 (14/38)	5 Core to 40 Core	Per Core 870	100 Mtrs.
261.	16/.20 mm	2/C (Two) Core	4840	100 Mtrs.
262.	16/.20 mm	3/C (Three) Core	5905	100 Mtrs.
263.	16/.20 mm	4/C (Four) Core	7373	100 Mtrs.
264.	16/.20 mm	5 Core to 24 Core	Per Core 2019	100 Mtrs.
265.	24/.20 mm	2/C (Two) Core	5630	100 Mtrs.
266.	24/.20 mm	3/C (Three) Core	7240	100 Mtrs.
267.	24/.20 mm	4/C (Four) Core	9042	100 Mtrs.
268.	24/.20 mm	5 Core to 24 Core	Per Core 2342	100 Mtrs.
269.	32/.20 mm	2/C (Two) Core	7170	100 Mtrs.
270.	32/.20 mm	3/C (Three) Core	8699	100 Mtrs.
271.	32/.20 mm	4/C (Four) Core	10225	100 Mtrs.
272.	32/.20 mm	5 Core to 24 Core	Per Core 2730	100 Mtrs.
273.	48/.20 mm	2/C (Two) Core	9838	100 Mtrs.
274.	48/.20 mm	3/C (Three) Core	12375	100 Mtrs.
275.	48/.20 mm	4/C (Four) Core	15912	100 Mtrs.
276.	48/.20 mm	5 Core to 24 Core	Per Core 3427	100 Mtrs.
277.	80/.20 mm	2/C (Two) Core	15668	100 Mtrs.
278.	80/.20 mm	3/C (Three) Core	22531	100 Mtrs.
279.	80/.20 mm	4/C (Four) Core	29313	100 Mtrs.
280.	80/.20 mm	5 Core to 24 Core	Per Core 6711	100 Mtrs.
281.	128/.20 mm	2/C (Two) Core	27613	100 Mtrs.
282.	128/.20 mm	3/C (Three) Core	35429	100 Mtrs.
283.	128/.20 mm	4/C (Four) Core	42157	100 Mtrs.

### INDUSTRIAL CABLE **Empire** SCREENED ARMOURED CABLE

S.No.	No. of Cores	0.50 Sq. MM	0.75 Sq. MM	1.0 Sq. MM	1.5 Sq. MM	
284.	2	115	138	152	179	Rate per Mtr.
285.	3	130	152	184	218	Rate per Mtr.
286.	4	152	184	212	259	Rate per Mtr.
287.	6	190	482	316	393	Rate per Mtr.
288.	8	226	316	372	470	Rate per Mtr.
289.	10	294	369	435	442	Rate per Mtr.
290.	12	333	421	498	630	Rate per Mtr.
291.	14	362	476	570	673	Rate per Mtr.
292.	16	398	490	619	775	Rate per Mtr.
293.	19	440	578	669	893	Rate per Mtr.
294.	20	467	607	706	936	Rate per Mtr.
295.	24	530	665	844	1085	Rate per Mtr.

#### TERMS & CONDITIONS :

- ☛ The above rates are Ex-Godown Delhi.
- ☛ Sales-Tax, Central or Provincial as applicable, will be charged extra.
- ☛ Terms of payment are cash against delivery.
- ☛ All disputes will be settled in Delhi Jurisdiction only.
- ☛ The above rates are subject to change without notice.
- ☛ Trade discount for wholesale lots are negotiable.
- ☛ No risk is accepted for loss or damage or goods in transit.
- ☛ This cancels all our previous Price-Lists.

**Raghav Cables Pvt. Ltd.**

Delhi-110 006 (INDIA)

Auth. Dealer :