

Distribution Boards

Hager distribution boards and enclosures are a perfect blend of style and functionality. They meet tough technical standards while matching modern aesthetics of today's new age buildings.



novello ⁺ SPN	16
novello ⁺ TPN	17
novello ⁺ TPN horizontal PPI	18
novello ⁺ TPN tier PPI	18
novello ⁺ vertical TPN modular incomer	19
novello ⁺ vertical TPN MCCB incomer	20
novello ⁺ TPN phase segregated	21
novello ⁺ TPN phase selector	21
novello ⁺ flexi	21
novello ⁺ one way enclosures	22
novello ⁺ plug & socket outlets - metal	22
novello ⁺ plug & socket outlets - plastic	22
Cable end box	23
Accessories for novello ⁺	23
golf enclosures	24
vector enclosures	25
Busbars	25



VYS12C

SPN distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09

- Accessories:

- - Wires sets
- - Insulated busbars
- - Insulated IP2X neutral bars & earth bar
- - Blanking plates
- - Cable management kit
- - Circuit identification labels as standard

IP30 Single Door DBs

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
6 way, 6 modules	1	VYS06C	1555
8 way, 8 modules	1	VYS08C	1960
12 way, 12 modules	1	VYS12C	2320
16 way, 16 modules	1	VYS16C	2860
18 way, 18 modules	1	VYS18C	3215



VYS12D

IP43 Double Door DBs

Description	Pack Qty.	Cat. Ref. plain door	Unit MRP (₹)
4 way, 4 modules	1	▶ VYS04D	2125
6 way, 6 modules	1	▶ VYS06D	2385
8 way, 8 modules	1	▶ VYS08D	2640
12 way, 12 modules	1	▶ VYS12D	3170
16 way, 16 modules	1	▶ VYS16D	4030
18 way, 18 modules	1	▶ VYS18D	4420

- IP54 DB's available upon request
- Glazed door DB's available upon request
- Pre-wired and TV telephone DBs available on request.
- For price and technical information, please contact your nearest Hager sales office.



VYT06CH

TPN distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 8 module Incomer & SP MCBs as O/G

- Accessories:

- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard

IP30 Single Door DBs
(Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 4+12 modules	1	VYT04CD	4010
6 way, 4+18 modules	1	VYT06CD	4865
4 way, 8+12 modules	1	VYT04CH	4395
6 way, 8+18 modules	1	VYT06CH	5415
8 way, 8+24 modules	1	VYT08CH	6365
12 way, 8+36 modules	1	VYT12CH	9440

IP43 Double Door DBs
(Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref. metal door	Unit MRP (₹)
4 way, 4+12 modules	1	▶ VYT04DD	5015
6 way, 4+18 modules	1	▶ VYT06DD	6025
4 way, 8+12 modules	1	▶ VYT04DH	5225
6 way, 8+18 modules	1	▶ VYT06DH	6440
8 way, 8+24 modules	1	▶ VYT08DH	7730
12 way, 8+36 modules	1	▶ VYT12DH	11565
16 way, 8+48 modules	1	VYT16DH	14340



VYT06DH

- IP54 DB's available upon request
- Glazed door DB's available upon request
- Pre-wired and TV telephone DBs available on request.
- For price and technical information, please contact your nearest Hager sales office.



VYH04DH

TPN horizontal PPI distribution boards

Characteristics:

- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 8 module incomers, 2 module subincomer & SP MCBs as O/G

- Accessories:

- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard

**IP43 Double Door DBs
(Incomer+ Sub Incomer + Outgoing Modules)**

Description	Pack Qty.	Cat. Ref. plain door	Unit MRP (₹)
4+2 way, 8+6+12 modules	1	▶ VYH04DH	9865
6+2 way, 8+6+18 modules	1	▶ VYH06DH	11625
8+2 way, 8+6+24 modules	1	▶ VYH08DH	16030
12+2 way, 8+6+36 modules	1	▶ VYH12DH	19240

TPN tier PPI distribution board

Characteristics:

- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 8 module incomers, 2 module subincomer & SP MCBs as O/G

- Accessories:

- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard



VYP10DH

**IP43 Double Door DBs
(Incomer+ Sub Incomer + Outgoing Modules)**

Description	Pack Qty.	Cat. Ref. plain door	Unit MRP (₹)
6+2 way, 8+6+18 modules	1	▶ VYP06DH	11590
8+2 way, 8+6+24 modules	1	▶ VYP08DH	13670
10+2 way, 8+6+30 modules	1	▶ VYP10DH	14180
12+2 way, 8+6+36 modules	1	▶ VYP12DH	15370
16+2 way, 8+6+48 modules	1	VYP16DH	16225
12+2 way, MCCB*+ 6 + 36 modules	1	VYP12DM	15540

- *Provision to mount frame X160 h3 MCCB

- Acrylic door and IP54 DB's, available upon request.

- For price and technical information, please contact your nearest Hager sales office.



VYV04DL-P

vertical TPN distribution boards (modular incomer)

Characteristics:

- Single Door: IP30
- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 12 module incomers, SP/TP MCB's outgoing

- Accessories:
- - Interconnection labels
- - Blanking plates
- - Cable management kit

**IP43 Double Door DBs
(Incomer + Outgoing Modules)**

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 12+12 modules	1	▶ VYV04DL-P	12975
6 way, 12+18 modules	1	▶ VYV06DL-P	14500
8 way, 12+24 modules	1	▶ VYV08DL-P	15925
12 way, 12+36 modules	1	▶ VYV12DL-P	22415
16 way, 12+48 modules	1	VYV16DL-P	27705

Metering Box

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Ext Box for VTPN DD DB	1	VYV00M	7055

- Acrylic door and IP54 DB's, available upon request.
- For price and technical information, please contact your nearest Hager sales office.



VYV06DM-P

vertical TPN distribution boards (x160 h3 MCCB incomer)

Characteristics:

- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- X160 frame h3 MCCB incomer & SP/TP MCBs as outgoing
- Accessories:
 - - 160A rated busbar
 - - Blanking plates
 - - Cable management kit
 - - Identification labels as standard

**IP43 Double Door DBs
(MCCB + Outgoing Modules)**

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	▶ VYV04DM-P	16065
6 way, MCCB+18 modules	1	▶ VYV06DM-P	18250
8 way, MCCB+24 modules	1	▶ VYV08DM-P	20090
12 way, MCCB+36 modules	1	▶ VYV12DM-P	26865
16 way, MCCB+48 modules	1	VYV16DM-P	31890

vertical TPN distribution boards (P160 h3+ MCCB incomer)

**IP43 Double Door DBs
(MCCB + Outgoing Modules)**

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	▶ VYV04DM-P160	16065
6 way, MCCB+18 modules	1	▶ VYV06DM-P160	18250
8 way, MCCB+24 modules	1	▶ VYV08DM-P160	20090
12 way, MCCB+36 modules	1	▶ VYV12DM-P160	26865
16 way, MCCB+48 modules	1	VYV16DM-P160	31890

vertical TPN distribution boards (x250 h3 / P250 h3+ MCCB incomer)

Characteristics:

- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- x250 h3 / P250 h3+ frame h3 MCCB incomer & SP/TP MCBs as outgoing
- Accessories:
 - - 250A rated busbar
 - - Blanking plates
 - - Cable management kit
 - - Identification labels as standard



VYV06DM2-P

**IP43 Double Door DBs
(MCCB + Outgoing Modules)**

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	VYV04DM2-P	29810
6 way, MCCB+18 modules	1	VYV06DM2-P	32505
8 way, MCCB+24 modules	1	VYV08DM2-P	34770
12 way, MCCB+36 modules	1	VYV12DM2-P	36750
16 way, MCCB+48 modules	1	VYV16DM2-P	41385



VYG08DL

TPN phase segregated distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- Provision for mounting upto 12
- module incomer, 4 module sub
- incomer in each phase & SP
- MCBs as outgoing

Accessories:

- Insulated busbar
- Wire sets
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Identification labels as standard

IP43 Double Door DBs

(Incomer+ Sub Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref. modular incomer	Unit MRP (₹)	Cat. Ref. MCCB incomer*	Unit MRP (₹)
4 way, 12+12+12 modules	1	▶ VYG04DL	13100	VYG04DM	18705
6 way, 12+12+18 modules	1	▶ VYG06DL	14755	VYG06DM	21380
8 way, 12+12+24 modules	1	▶ VYG08DL	16465	VYG08DM	24485
12 way, 12+12+36 modules	1	▶ VYG12DL	20480	VYG12DM	27920

- *Provision to mount X160 frame H3 MCCB



VYC06DH

TPN phase selector distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- 63A rotary switches

Accessories:

- Wire sets
- Insulated busbars, neutral bars & earth bars
- blanking plates
- Cable management kit
- Identification labels as standard

IP43 Double Door DBs

(Incomer+ Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 8+12 modules	1	VYC04DH	17860
6 way, 8+18 modules	1	▶ VYC06DH	18140
8 way, 8+24 modules	1	▶ VYC08DH	19440
12 way, 8+36 modules	1	▶ VYC12DH	21880



VYF414D

flexi distribution boards

Characteristics:

- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- Flexibility to mount incomer & outgoing as per need

Accessories:

- Blanking plates
- Insulated IP2X neutral bars & earth bar
- Circuit identification labels as standard

IP43 Double Door DBs

(Total Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
2 row, 28 modules	1	▶ VYF214D	7205
3 row, 42 modules	1	▶ VYF314D	8650
4 row, 40 modules	1	▶ VYF410D	8595
4 row, 56 modules	1	▶ VYF414D	9425
4 row, 64 modules	1	VYF416D	11110

- Acrylic door and IP54 DB's, available upon request.

- For price and technical information, please contact your nearest Hager sales office.



VYM04C

one way enclosures

Characteristics:

- IP30 degree of protection

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
2 way, 2 modules	1	▶ VYM02C	870
4 way, 4 modules	1	▶ VYM04C	870
6 way, 6 modules	1	▶ VYM06C	1465
8 way, 8 modules	1	▶ VYM08C	1465
metal enclosure hinged door, 3 pole, x160 frame MCCB	1	▶ VYM160HM	3195
metal enclosure hinged door, 4 pole, x160 frame MCCB	1	▶ VYM161HM	3195
metal enclosure hinged door, 3 pole, x250 frame MCCB	1	▶ VYM250HM	8340
metal enclosure hinged door, 4 pole, x250 frame MCCB	1	▶ VYM251HM	8340
160A 3P MCCB h3+ Enclosure	1	VYM160HM-P160	3195
160A 4P MCCB h3+ Enclosure	1	VYM161HM-P160	3195
250A 3P MCCB h3+ Enclosure	1	VYM250HM-P250	8340
250A 4P MCCB h3+ Enclosure	1	VYM251HM-P250	8340



VYA220C

plug & socket outlets - metal

Characteristics:

- Supplied with metal plug & socket
- Provision to mount MCCBs

- Metal plug & socket: IP30

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
10A 2 Pin + SC*, 1 modules	1	▶ VYA110C	1790
20A 2 Pin + SC*, 1 modules	1	▶ VYA120C	1920
20A 2 Pin + SC*, 2 modules	1	▶ VYA220C	2095
20A 3 Pin + SC*, 4 modules	1	▶ VYA420C	3125
32A 3 Pin + SC*, 4 modules	1	▶ VYA432C	4215
63A 5 Pin + SC*, 8 modules	1	▶ VYA863C	15600

* SC - Scraping Earth



VYB432C

plug & socket outlets - plastic

Characteristics:

- Plastic plug & socket: IP54
- Provision to mount MCCBs

- Accessories:
- - Plastic plug & socket

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
16A 3 Pin, 4 modules	1	▶ VYB416C	3400
32A 3 Pin, 4 modules	1	▶ VYB432C	3675
32A 5 Pin, 8 modules	1	▶ VYB832C	6690
63A 5 Pin, 8 modules	1	▶ VYB863C	16835



VZ130I & VZ140I

plug & socket outlets

Characteristics:

- Metal plug & socket:IP44

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)	Description	Cat. Ref.	Unit MRP (₹)
10A 2P+E Metal Plug	10	VZ130I	200	10A 2P+E Metal Socket	VZ140I	205
20A 2P+E Metal Plug	10	▶ VZ131I	210	20A 2P+E Metal Socket	▶ VZ141I	230
20A 3P+E Metal Plug	10	▶ VZ132I	290	20A 3P+E Metal Socket	▶ VZ142I	315
32A 3P+E Metal Plug	5	▶ VZ133I	520	32A 3P+E Metal Socket	▶ VZ143I	520
63A 5P Metal Plug	1	VZ134I	2430	63A 5P Metal Socket	VZ144I	2580

cable end box for novello⁺ DBs

Characteristics:

- Matt finish
- Powder coated with RAL 9010
- Cable end box suitable for double door DBs.

- Facilitates wiring & wire dressing
- Mounted on top of double door DBs



VYT08E

Description

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
CEB for SPN DBs			
CEB for 4 way SPN DD DB	1	VYS04E	895
CEB for 6 way SPN DD DB	1	VYS06E	925
CEB for 8 way SPN DD DB	1	VYS08E	1050
CEB for 12 way SPN DD DB	1	▶ VYS12E	1190
CEB for 16 way SPN DD DB	1	VYS16E	1680
CEB for 18 way SPN DD DB	1	VYS18E	1745

CEB for TPN DB (for 8mod incomer)

CEB for 4 way TPN DD DB	1	▶ VYT04E	1535
CEB for 6 way TPN DD DB	1	▶ VYT06E	1665
CEB for 8 way TPN DD DB	1	▶ VYT08E	2925
CEB for 12 way TPN DD DB	1	VYT12E	3910
CEB for 16 way TPN DD DB	1	VYT16E	3910

CEB for TPN Horizontal PPI DB

CEB for 2 + 4 way Horizontal PPI DD DB	1	VYH04E	1615
CEB for 2 + 6 way Horizontal PPI DD DB	1	VYH06E	2535
CEB for 2 + 8 way Horizontal PPI DD DB	1	VYH08E	2965
CEB for 2 +12 way Horizontal PPI DD DB	1	VYH12E	3350



VYH08E

CEB for TPN Tier PPI DB

CEB for 2 + 6 way Tier PPI DD DB	1	VYP06E	1395
CEB for 2 + 8 way Tier PPI DD DB	1	VYP08E	1420
CEB for 2 + 10 way Tier PPI DD DB	1	VYP10E	1760
CEB for 2 + 12 way Tier PPI DD DB	1	VYP12E	2635
CEB for 2 + 12 way Tier PPI DD DB (MCCB)	1	VYP12EM	2805

CEB for vertical TPN DB

CEB for Vertical TPN DD DB	1	VYV00E	4295
----------------------------	---	---------------	------

CEB for Flexi DB

CEB for 14Mod flexy DB	1	VYF14E	1465
CEB for 16Mod flexy DB	1	VYF16E	1785

Accessories for novello⁺ DBs

Characteristics:

- Keylock can be added at site without changing of distribution boards



VZ100i

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Keylock + 2 keys	10	VZ100i	1445
Door handle for novello ⁺	10	VZ101i	635
Neutral link 5 connection	10	VZ110i	160
Neutral link 9 connection	10	VZ111i	220
Neutral link 15 connection	10	VZ112i	300
Neutral link 19 connection	10	VZ113i	345
4 way 8 Segment cover plate - 4 Mod	5	VZ120i	345
8 way 8 Segment cover plate - 4 Mod	5	VZ121i	420
6 way 8 Segment cover plate - 4 Mod	5	VZ122i	490
12 way 8 Segment cover plate - 4 Mod	5	VZ123i	560



VE212L

vector enclosures

Characteristics:

- Double door: IP65
- Surface mounted version

- Flexibility to mount incomer & outgoing as per need

Total modules

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
1 row 3 modules	1	▶ VE103L	2175
1 row 6 modules	1	▶ VE106L	2705
1 row 10 modules	1	▶ VE110L	3770
1 row 12 modules	1	▶ VE112L	4470
1 row 18 modules	1	▶ VE118L	5320
2 row 24 modules	1	▶ VE212L	6065
2 row 36 modules	1	VE218L	8960
3 row 36 modules	1	VE312L	8205
4 row 48 modules	1	VE412L	11635
3 row 54 modules	1	VE318L	13270
vector IP65 Key lock	1	VZ311	565

Busbars, neutral bars & other accessories for DBs

Characteristics:

- All Insulated busbars are rated for 63A



KDN163A

Fork busbars (for MCBs NBN---N, NCN---N & NDN---N)


Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
1 pole 1 mod step, 12 mod	100	▶ KDN163A	380
1 pole 1 mod step, 56 mod	50	▶ KD163B	1425
2 pole 2 mod step, 12 mod	50	KDN263A	645
2 pole 2 mod step, 56 mod	20	▶ KD263B	2725
3 pole 3 mod step, 12 mod	50	KDN363A	685
3 pole 3 mod step, 57 mod	20	▶ KD363B	3440
4 pole 4 mod step, 12 mod	25	KDN463A	1415
4 pole 4 mod step, 56 mod	10	▶ KD463B	6120

Prong busbars (for MCBs ML---J)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
1 pole 1 step 13 mod - Brown (phase)	1	KB163P	395
1 pole 1 step 13 mod - Blue (neutral)	1	KB163N	395

End caps for busbars

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
for 1 pole fork busbar	50	KZN021	25
for 2 & 3 pole fork busbar	10	KZN023	35
for 4 pole fork busbar	10	KZN024	60



KM14N

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
63A din rail mounting neutral link	25	▶ KM14N	415
Half mod blanking plate	50	P031F	30
One mod blanking plate	50	P032F	30



EKS306B

SPN - Automatic changeover and current limiter

Characteristics:

- IEC 60947 - 3, IEC 60947 - 6
- SPN Modular
- Voltage: 150VAC to 300VAC
- 6000 Operations

- Blinking LED for overload and permanent
- LED for overload Trip
- Different LED colors for clear differentiation between functions

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Mains 30A, Genset 1.5A	1	▶ EKS301B	2175
Mains 30A, Genset 2.5A	1	▶ EKS302B	2175
Mains 30A, Genset 3A	1	▶ EKS303B	2175
Mains 30A, Genset 4A	1	▶ EKS304B	2175
Mains 30A, Genset 5A	1	▶ EKS305B	2175
Mains 30A, Genset 6A	1	▶ EKS306B	2175
Mains 30A, Genset 9A	1	▶ EKS309B	2175
Mains 30A, Genset 12A	1	EKS312B	2175
Mains 30A, Genset 15A	1	EKS315B	2175
Mains 30A, Genset 20A	1	▶ EKS320B	2175
Mains 30A, Genset 30A (with current limiter)	1	▶ EKS330B	2175



EKT406SG

TPN - Automatic Changeover and Current Limiter

Characteristics:

- IEC 60947 - 6
- TPN / TPN & TPN / SPN
- Voltage: 150VAC to 300VAC

- 10000 Operations
- Genset Start / Stop as standard

TPN / SPN

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Mains 40A, Genset 6A	1	EKT406SG	11215
Mains 40A, Genset 10A	1	EKT410SG	11215
Mains 40A, Genset 16A	1	EKT416SG	11215
Mains 40A, Genset 20A	1	EKT420SG	11215
Mains 40A, Genset 25A	1	EKT425SG	11215
Mains 40A, Genset 30A	1	EKT430SG	11215
Mains 63A, Genset 6A	1	EKT606SG	16555
Mains 63A, Genset 10A	1	EKT610SG	16555
Mains 63A, Genset 16A	1	EKT616SG	16555
Mains 63A, Genset 20A	1	EKT620SG	16555
Mains 63A, Genset 25A	1	EKT625SG	16555
Mains 63A, Genset 30A	1	EKT630SG	16555
Mains 63A, Genset 40A	1	EKT640SG	16555

TPN / TPN

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Mains 40A, Genset 6A	1	EKT406TG	11750
Mains 40A, Genset 10A	1	EKT410TG	11750
Mains 40A, Genset 16A	1	EKT416TG	11750
Mains 40A, Genset 20A	1	EKT420TG	11750
Mains 40A, Genset 25A	1	EKT425TG	11750
Mains 40A, Genset 30A	1	EKT430TG	11750
Mains 63A, Genset 6A	1	EKT606TG	17090
Mains 63A, Genset 10A	1	EKT610TG	17090
Mains 63A, Genset 16A	1	EKT616TG	17090
Mains 63A, Genset 20A	1	EKT620TG	17090
Mains 63A, Genset 25A	1	EKT625TG	17090
Mains 63A, Genset 30A	1	EKT630TG	17090
Mains 63A, Genset 40A	1	EKT640TG	17090

TPN / TPN (without current limiting)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Mains 40A, Genset 40A	1	▶ EKT440TG	11750
Mains 63A, Genset 63A	1	▶ EKT663TG	28295

***80/80A and 100/100A ACCL also available upon request**