



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

CCTV Cables

Telephone Switchboard Cables

Submersible Cables

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables

**POLYCAB INDIA LIMITED**

LDC LP No. 03/2021-22 Dtd : 21st May 2021

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	2825	8615	
RG - 6	2940	8970	89500
RG - 11	5485	16730	159000
RG-6 CCS	1600	4880	
RG-11 CCS	3465	10570	

POLYCAB LAN (COMPUTER) CABLES

Item	UOM	Rate in Rs.
CAT 5e UTP PVC	305 MTRS.	12475
CAT 5e UTP FR -PVC	305 MTRS.	12475
CAT 5e UTP LSZH	305 MTRS.	13060
CAT 6 UTP PVC (Without Separator)	305 MTRS.	13325
CAT 6 UTP PVC-FR (Without Separator)	305 MTRS.	13325
CAT 6 UTP LSZH (Without Separator)	305 MTRS.	14135
CAT 6 UTP PVC (With Separator)	305 MTRS.	13515
CAT 6 UTP PVC-FR (With Separator)	305 MTRS.	13515
CAT 6 UTP LSZH (With Separator)	305 MTRS.	14425
CAT 6 FTP FR PVC	305 MTRS.	16190
CAT 6A UTP PVC	305 MTRS.	16360
CAT 6A UTP PVC-FR	305 MTRS.	16360
CAT 6A UTP LSZH	305 MTRS.	17240
CAT 6 UTP DJ (PVC-PE)	305 MTRS.	16195
CAT 6 UTP DJ (PVC-PE) with Anti Rodent	305 MTRS.	16195
CAT 6 UTP DJ (PVC-LSZH)	305 MTRS.	16105
CAT6 SFTP FR PVC	305 MTRS.	28890
CAT6 SFTP LSZH	305 MTRS.	29475
CAT6 SFTP LSZH wire Armored	305 MTRS.	50785
CAT6A FTP FR PVC	305 MTRS.	18055
CAT6A FTP LSZH	305 MTRS.	18820
CAT6 UTP- 23 AWG, ECSS FR, ARM PE with Separator	1000 MTRS.	86140
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	115000
CAT6 STP- Armoured / Flexible Armoured	1000 MTRS.	130000

POLYCAB CCTV CABLES

Item	UOM	Rate in Rs.
CCTV 3+1	90 MTRS.	4445
CCTV 4+1	90 MTRS.	5000
CCTV 3+1	180 MTRS.	8890
CCTV 4+1	180 MTRS.	10000
CCTV 4+1 Armoured	1000 MTRS.	150000



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	900	1250	810	1125	20
2 Pair	1405	2085	1265	1875	20
3 Pair	2040	3140	1835	2825	16
4 Pair	2590	4145	2330	3730	12
5 Pair	3355	4935	3020	4440	8
10 Pair	6800	10090	6120	9080	1
20 Pair	13600	20070	12240	18060	1
50 Pair		49000			1
100 Pair		103000			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	10500	11000	10300
2.5	16800	17600	16400
4	23400	24600	23000
6	33600	35300	33000
10	62500	65600	
16	100000	105000	
25	163000	171200	
35	225700	237000	



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

Polycab FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1080	24
0.75	24/.2	8	1590	24
1	32/.2	13	2030	20
1.5	30/.25	17	2885	16
2.5	50/.25	24	4775	12
4	56/.3	30	7355	8
6	84/.3	38	10900	6
10	80/.4	52	18900	1
16	126/.4	70	29700	1
25	196/.4	88	47300	1
35	276/.4	110	65800	1
50	396/.4	145	93100	1
70	354/.5	215	130900	1
95	484/.5	260	177300	1
120	608/.5	305	232500	1
150	750/.5	355	290300	1
185	925/.5	415	358500	1
240	1210/.5	500	462900	1
300	1527/.5	585	578200	1
400	2036/.5	695	769200	1
500			986200	1
630			1243500	1

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3090	4100	5265	5	7015	7910
4275	5700	7390	5	9870	11200
5175	7240	9320	5	12700	14300
6980	9765	12800	5	17800	19700
11100	15700	20800	4	28200	31900
16500	23900	31200		41900	49700
24300	35200	46200		61900	77100
41900	60300	79200		107100	134700
69400	95900	126100		172100	
107700	155100	204500		270200	
149300	215600	283600		373800	
223800	305800	404000		542900	
297000	426400	564600		749500	



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8865	10300	12800	15000
0.75	24/.2	8	12600	14600	18200	21500
1	32/.2	13	16200	18600	23000	27000
1.5	30/.25	17	22400	25900	31700	37900
2.5	50/.25	24	36600	42100	52500	61600
4	56/.3	30	57100	66100		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	17600	19800	23200	30100
0.75	24/.2	8	25200	28400	33000	42700
1	32/.2	13	31900	36300	42500	55600
1.5	30/.25	17	43900	50300	59400	76300
2.5	50/.25	24	72000	82400	97700	124300

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
			Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	15600	21100
10	80/0.4	75	26200	35700
16	126/0.4	103	38800	45000
25	196/0.4	126	61900	69100
35	276/0.4	152	84600	93100
50	396/0.4	189	118000	129500
70	354/0.5	240	162600	178200
95	484/0.5	297	220800	229800
120	608/0.5	346	279000	290500
150	750/0.5	390	348600	363200
185	925/0.5	460	425600	438400
240	1210/0.5	552	553100	577200
300	1527/0.5	640	689500	725900
400	2036/0.5	753	919800	962400



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1130	24
0.75	24/.2	8	1655	24
1	32/.2	13	2105	20
1.5	30/.25	17	3005	16
2.5	50/.25	24	4980	12
4	56/.3	30	7655	8
6	84/.3	38	11200	6
10	80/.4	52	19400	1
16	126/.4	70	30500	1
25	196/.4	88	48500	1
35	276/.4	110	67500	1
50	396/.4	145	95400	1
70	354/.5	215	134200	1
95	484/.5	260	181900	1
120	608/.5	305	237200	1
150	750/.5	355	296400	1
185	925/.5	415	366000	1
240	1210/.5	500	472600	1
300	1527/.5	585	590200	1
400	2036/.5	695	785300	1
500			1005900	1
630			1268400	1

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3325	4415	5625	5	7540	8310
4595	6095	7840	5	10600	11600
5580	7660	9810	5	13700	14800
7450	10200	13400	5	18700	20300
11800	16400	21700	4	29600	32700
17500	25000	32600		44000	51500
25500	36600	48300		65000	76300
44300	62700	82200		112500	133500
72900	100800	131900		180700	
113100	160700	211600		283700	
156800	223200	294100		392500	
235000	316400	416600		570000	
311900	438800	582800		787000	
	591800	780200			
	757200	999200			
	1043900	1376700			
	1256100	1665600			
	1656300	2192100			
	2060100	2609500			
	2746800	3445000			

**POLYCAB INDIA LIMITED****POLYCAB****LDC LP No. 03/2021-22 Dtd : 21st May 2021****Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	9200	10700	13300	15500
0.75	24/.2	8	13000	15100	18800	21900
1	32/.2	13	16600	19100	23900	27800
1.5	30/.25	17	22800	26600	32400	38800
2.5	50/.25	24	37200	42800	53400	62500
4	56/.3	30	60000	69400		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	18200	20400	23900	32400
0.75	24/.2	8	25900	29000	33700	45900
1	32/.2	13	32400	37000	43400	59800
1.5	30/.25	17	44800	51600	60300	80100
2.5	50/.25	24	73100	83800	98800	130500



POLYCAB SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618		Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables		Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabalized PVC Sheathed Single Core Solar Cables	
Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	5800	2.5	5400	4	7950
4	8600	4	8150	6	11100
6	11900	6	11300	10	20900
10	21900	10	21300	16	33400
16	36200	16	34000		
25	58400				
35	81500				
50	108700				
70	149400				
95	205300				
120	259200				

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	5700	7050	7750	10000	15500
3	7300	9350	10500	13700	21600
4	8900	11400	13200	17500	28900
5	10800	14000	16400	22000	35300
6	12400	16400	19400	26200	42100
7	13800	18500	21800	29500	47700
8	15900	20800	24600	33500	54500
10	19400	25700	30200	41700	68300
12	22700	30000	35800	49100	80500
14	25700	34900	41400	56900	93400
16	29000	39300	46800	64600	106200
19	33900	45900	54800	75800	125200
24	42100	57600	68800	95900	157700

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 4% Extra Charges for Drum Packing



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	7525	9000	10200	12700	19600						
3	8650	11300	12700	16800	25000	40100	52300	88900	152100	250400	331600
4	10700	14000	16600	21200	33200	48900	69400	125200	194200	318700	421200
5	13100	17100	20400	26200	43500						
6	15000	19700	22900	30000	49100						
7	16400	22700	28300	36500	58300						
8	18700	27100	35100	41700	72500						
10	22000	30400	40000	51200	88500						
12	25000	34200	42600	58500	103000						
14	29000	40200	49600	65500	120000						
16	32500	45600	58300	76800	134300						
19	38600	56200	64400	93600	154900						
24	46800	65100	81900	114700	196800						



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	9600	11500	12700	16000	22900	32900	45100
3	11500	14100	16400	20500	30200	44500	62700
4	13700	16900	19900	26200	38300	57000	80900
5	16000	20200	24000	31300	46500		
6	18200	23400	27700	36000	54400		
7	19700	25800	30600	39900	61200		
8	22400	29000	34400	46100	69800		
10	26800	35300	42300	56200	86300		
12	30900	40800	48700	65700	101300		
14	35200	46300	55400	75300	116600		
16	39100	52100	62800	84700	132300		
19	44700	60100	73200	99400	155000		
24	57400	76300	91500	124200	193900		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	73200	108900	165200	224900	318700	437200	583300
3	102400	154200	236100	322300	457600	631200	844900
4	133500	201900	311200	424900	603600	833200	1116100

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	2065	23/38	1495	0.5 Sq.mm	2170	1.5 Sq.mm	5820
40/36	3325	40/38	2400	0.75 Sq.mm	3160	2 Sq.mm	7700
70/36	5790	70/38	3875	1 Sq.mm	4145	2.5 Sq.mm	9570

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	37900
25	160	796/0.2	56600
35	230	1115/0.2	79800
50	400	703/0.3	114000
70	600	999/0.3	159100
95	700	1346/0.3	215300
120	1100	1699/0.3	273800



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS
SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS
694

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	685
2.5	1080
4	1530
6	2105
10	3520
16	5160
25	7980
35	11000
50	12400
70	16200
95	28800

POLYCAB PVC INSULATED AND SHEATHED TWIN CORE FLAT & THREE
CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID
ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	3750
2 Core	4	5020
2 Core	6	6650
2 Core	10	9690
2 Core	16	14000
3 Core	2.5	5525
3 Core	4	7275
3 Core	6	8500
3 Core	10	15900
3 Core	16	21000
4 Core	2.5	6785
4 Core	4	9500
4 Core	6	13500
4 Core	10	19800
4 Core	16	26300



POLYCAB INDIA LIMITED

LDC LP No. 03/2021-22 Dtd : 21st May 2021

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	64	80	99	131	215	328
4	83	107	130	179	282	440
5	116	152	193	248	393	590
6	138	185	229	294	473	712
7	159	210	265	341	551	826
8	184	239	301	392	633	947
9	213	282	352	449	728	1081
10	235	311	388	498	805	1205
12	276	369	462	591	960	1438
14	335	434	542	704	1128	1689
16	378	497	626	799	1295	1934
18	417	549	701	897	1435	2150
24	567	746	949	1086	1935	2909

**POLYCAB INDIA LIMITED**

LDC LP No. 03/2021-22 Dtd : 21st May 2021

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	22.80
20	0.556	29.40
18	0.966	43.50
16	1.17	51.70
14	2.05	79.00
12	3.22	116.00
10	5.33	163.00
8	8.76	253.00
6	13.30	375.00
4	21.50	593.00
2	33.30	908.00
1	40.70	1098.00
0	53.00	1427.00
00	68.30	1817.00
000	84.20	2251.00
0000	109	2894.00