


INSULATED SPADE/ FORK TERMINALS


Material : Copper
Plating : Tin
Insulation : PVC



ITEMNO	STUD	WIRE SIZE	d2	B(mm)	L(mm)	F(mm)	H(mm)	D(mm)	COLOR	PRICE LIST
PCSV 1-3	#4	0.5-1.5	3.2mm	5.7	21.2	6.5	10.0	4.3	Red	1-73
PCSVS 1-4	#8	0.5-1.5	4.3mm	6.7	21.2	6.5	10.0	4.3	Red	1-79
PCSVS 1-5	#10	0.5-1.5	5.3mm	8.1	21.2	6.5	10.0	4.3	Red	1-98
PCSVL 1-6	1/4	0.5-1.5	6.5mm	9.5	21.2	6.5	10.0	4.3	Red	2-42
PCSV 2-3	#4	1.5-2.5	3.2mm	5.7	21.2	6.5	10.0	4.3	Blue	1-99
PCSVS 2-4	#8	1.5-2.5	4.3mm	6.4	21.2	6.5	10.0	4.3	Blue	2-03
PCSVL 2-5	#8	1.5-2.5	4.3mm	8.1	21.2	6.5	10.0	4.3	Blue	2-21
PCSVL 2-6	#1/4	1.5-2.5	6.5mm	9.5	27.2	6.5	10.0	4.3	Blue	2-37
PCSV 5-4	#8	4-6	4.3mm	8.0	24.8	7.0	12.5	6.2	Yellow	3-50
PCSVL 5-5	#10	4-6	5.3mm	8.0	24.8	7.0	12.5	6.2	Yellow	3-75
PCSVS 5-6	1/4	4-6	6.5mm	12.0	28.0	12.1	12.5	6.2	Yellow	4-10
PCSV 8-5	5/16	10.0	5.3mm	10.5	30.5	8.1	12.5	7.2	Black	7.67

NON INSULATED SPADE / FORK TERMINALS


Material : Copper
Plating : Tin



ITEM NO	WIRE SIZE (mm ²) lmax	MATERIAL PURPLE COPPER									PRICE LIST
		STUD	d2(mm)	B(mm)	L(mm)	F(mm)	E(mm)	D(mm)	d(mm)		
PCSNB 1-3	0.5-1.5	#4	3.2	5.7	16	6.5	4.8	3.4	1.7	1-43	
PCSNB 1-4	0.5-1.5	#8	4.3	6.4	16	6.5	4.8	3.4	1.7	1-52	
PCSNB 1-5	0.5-1.5	#10	5.3	8.1	16	6.5	4.8	3.4	1.7	1-72	
PCSNB 1-6	0.5-1.5	1/4	6.4	9.5	16	6.5	4.8	3.4	1.7	2.83	
PCSNB 2-3	1.5-2.5	#4	3.2	5.7	16	6.5	4.8	4.1	2.3	1-43	
PCSNB 2-4	1.5-2.5	#8	4.3	6.4	16	6.5	4.8	4.1	2.3	1-58	
PCSNB 2-5	1.5-2.5	#10	5.3	8.1	16	6.5	4.8	4.1	2.3	1-89	
PCSNB 2-6	1.5-2.5	#1/4	6.5	9.5	16	6.5	4.8	4.1	2.3	2-23	
PCSNB 5-4	4-6	#8	4.3	8	18.3	7	6	5	3	3-23	
PCSNB 5-5	4-6	#10	5.3	8	18.3	7	6	5	3	3-35	
PCSNB 5-6	4-6	#1/4	6.5	12	21.5	12.1	6	5	3	3-9	
PCSNB 8-5	4-6	5/16	5.3	14	20.8	8.1	8.5	7.2	4.5	9.60	

INSULATED INLINE/BUTT TERMINALS


Material : Copper
Plating : Tin
Insulation : PVC



ITEM NO	A.W.G	mm ²	DIMENSION(MM)					COLOR	PRICE LIST
			B	d	L	lmax			
PCBV1	22-16	0.5-15	15.0	1.7	26.0	19A	Red	2-50	
PCBV2	16-14	1.5-2.5	15.0	2.3	26.0	27A	Blue	2-66	
PCBV5	12-10	4-6	15.0	3.4	26.0	48A	Yellow	4-74	
PCBV8	#8	6-10	21.0	4.5	35.0	62A	Red	6-70	

NON INSULATED RING TERMINALS


Material : Copper
Plating : Tin



ITEM NO	WIRE SIZE (mm ²) I _{max}	MATERIAL PURPLE COPPER								PRICE LIST
		STUD	d2(mm)	B(mm)	F(mm)	L(mm)	E(mm)	D(mm)	d(mm)	
PCRN B 1-3		#4	3.2	5.5	5.0	12.5				1.48
PCRN B 1-4		#8	4.1	6.6	6.3	13.8				1.53
PCRN B 1-5		#10	5.1	8.0	7.0	15.8				1.67
PCRN B 1-6	0.5-1.5	#1/4	6.4	11.0	11.0	20.1		3.4	1.8	2.1
PCRN B 1-8		5/16	8.2	11.5		21.7	4.8			2.63
PCRN B 1-10		3/8"	10.5	13.6	13.5	25.5				3.22
PCRN B 1-12		1/2"	13.0	19.2	16	30.4				3.94
PCRN B 2-3		#4	3.1	6.5	4.8	13.1				1.48
PCRN B 2-4		#8	4.1		6.3	14.2				1.56
PCRN B 2-5		#10	5.1	8.5	7.4	16.2				1.71
PCRN B 2-6	1.5-2.5	#1/4	6.4	11.4	11	21.6		4.0	2.4	2.52
PCRN B 2-8		5/16	8.4	12.0						3.03
PCRN B 2-10		3/8"	10.5	13.6	13.9	25.5				3.41
PCRN B 2-12		1/2"	13.0	19.2	16.0	30.4				4.10
PCRN B 5-4		#8	4.0	7.2	6.1	15.7				3.03
PCRN B 5-5	4-6	#10	5.3	9.5	8.3	19.0	6.1	5.4	3.6	3.53
PCRN B 5-6		#1/4	6.4	11.5	10.5	21.7				3.68
PCRN B 5-8		5/16	8.2	14.2	13.3	26.5				7.49
PCRN B 5-10		3/8"	10.5	15.0	13.3	27.0				7.99
PCRN B 8-5		#10	5.3	8.8	10.5	23.1				8.99
PCRN B 8-6		1/4	6.4	12.0	9.3		8.2	7.2	4.7	11.12
PCRN B 8-8	10	3/8"	10.5	15.0	13.8	29.8				11.40
PCRN B 8-10		1/2"	13.0	20.0	15.0	33.5				12.09
PCRN B 8-12		#10	5.3	12.0	13.3	29.8				14.34
PCRN B 14-6		1/4	6.4							17.97
PCRN B 14-8	16	5/16	8.2	16.1	14.2	32.8	10.5	9.2	6.3	18.32
PCRN B 14-10		3/8"	10.5							18.91
PCRN B 22-6	25	1/4	6.4	12.2	15.1	31.6	12.1	11.8	8.6	27.28
PCRN B 22-8		5/16	8.4	16.5	13.5	33.0				27.28

INSULATED RING TERMINALS


Material : Copper
Plating : Tin
Insulation : PVC



ITEM NO	WIRE SIZE (mm ²)	MATERIAL PURPLE COPPER								PRICE LIST
		STUD	d2(mm)	B(mm)	L(mm)	F(mm)	H(mm)	D(mm)	COLOR	
PCRV1-3	0.5-1.5	#4	3.2	5.7	17.8	4.95	10	4.3	■	1-88
PCRV1-4	0.5-1.5	#8	4.3	6.6	20.1	6.3	10	4.3	■	1-93
PCRV1-5	0.5-1.5	#10	5.3	8.0	21.5	7.0	10	4.3	■	2-01
PCRV1-6	0.5-1.5	#1/4	6.5	11.6	27.5	11.1	10	4.3	■	2-60
PCRV1-8	0.5-1.5	5/16"	8.4	11.6	26.8	11.0	10	4.3	■	3.78
PCRV1-10	0.5-1.5	3/8"	10.5	11.6	30.5	13.6	10	4.3	■	3.95
PCRV1-12	0.5-1.5	1/2"	13.0	11.6	35.4	19.9	10	4.3	■	4.70
PCRV2-3	1.5-2.5	#4	3.2	6.6	17.8	4.3	10	4.3	■	1-99
PCRV2-4	1.5-2.5	#8	4.3	6.6	21	7	10	4.9	■	2-10
PCRV2-5	1.5-2.5	#10	5.3	8.5	22.5	7.75	10	4.9	■	2-49
PCRV2-6	1.5-2.5	#1/4	6.5	12	27.6	11	10	4.9	■	2-89
PCRV2-8	1.5-2.5	5/16"	8.2	11.0	26.8	26.8	10	4.9	■	3.64
PCRV2-10	1.5-2.5	3/8"	10.5	13.9	30.8	30.5	10	4.9	■	4.05
PCRV2-12	1.5-2.5	1/2"	13.0	16.0	35.4	35.4	10	4.9	■	4.76
PCRV5-4	4-6	#8	4.3	8	24.5	7.7	12.5	6.2	■	3-37
PCRV5-5	4-6	#10	5.3	12	27.9	7.7	12.5	6.2	■	3-88
PCRV5-6	4-6	#1/4	6.5	12.5	27.9	7.7	12.5	6.2	■	4-23
PCRV5-8	4-6	5/16	8.2	14.0	30.5	10.5	13.0	6.4	■	6-07
PCRV5-10	4-6	3/8"	10.5	15.0	34.0	13.3	13.0	6.4	■	7.70
PCRV8-5	10-16	#10	5.2	8.8	26.1	10.5	16.0	6.4	■	9.86
PCRV8-6	10-16	1/4"	6.3	12.0	26.1	9.3	16.0	6.4	■	9.86
PCRV8-8	10-16	5/16"	8.3	14.8	33.5	11.7	15.3	7.0	■	11.90
PCRV8-10	10-16	13/32"	10.3	14.8	33.5	11.7	15.3	7.0	■	14.60

NON INSULATED FLAT PIN TERMINALS


Material : Copper
Plating : Tin



ITEM NO.	DIMENSION (mm)								
	W	F	L	E	D	D1	AGW	mm2	PRICE LIST
	mm	mm	mm	mm	mm	mm	mm	mm	
PCDBN 1-14	2.3	14	14.8	4.8	3.4	1.7	22-16	0.5-1.5	1-66
PCDBN 1-18	2.4	18	22.8	4.8	3.4	1.7	22-16	0.5-1.5	1-99
PCDBN 2-14	2.4	14	18.8	4.8	4.1	2.3	16-14	1.5-2.5	1-85
PCDBN 2-18	2.4	18	22.8	4.8	4.1	2.3	16-14	1.5-2.5	2-23
PCDBN 5-14	3.2	14	20	6	3.4	3.4	12-10	4-6	4-96
PCDBN 5-18	3.2	18	24	6	5.9	3.6	12-10	4-6	7-50

INSULATED FLAT PIN TERMINALS


Material : Copper
Plating : Tin
Insulation : PVC



ITEM NO.	DIMENSION (mm)				PRICE LIST
	W	L	F	C	
	mm	mm	mm	mm	
PCDBV1-14	2.3	24	14	4.3	1-83
PCDBV1-18	2.3	28	18	4.3	2-19
PCDBV2-14	2.3	24	14	4.9	2-04
PCDBV2-18	2.3	28	18	4.9	2-44
PCDBV5-14	3.2	26.5	14	5.6	5-22
PCDBV5-18	3.2	31.0	18	6.4	6.44

NON INSULATED PIN TERMINALS


Material : Copper
Plating : Tin



ITEM NO.	DIMENSION (mm)					PRICE LIST
	F	L	E	D	d	
	mm	mm	mm	mm	mm	
PCPTN 1-13	1.9	17.8	4.8	3.4	1.7	1-69
PCPTN 1-18	1.9	22.8	4.8	3.4	1.7	2-03
PCPTN 2-13	1.9	17.8	4.8	4.1	2.3	2-01
PCPTN 2-18	1.9	22.8	4.8	4.1	2.3	2-31
PCPTN5-13	2.8	20.0	6.8	6.0	3.4	3.95
PCPTN 5-18	2.8	24.8	6.8	6.6	3.4	4-32

INSULATED PIN TERMINALS


Material : Copper
Plating : Tin
Insulation : PVC



ITEM NO.	DIMENSION (mm)					Colour	PRICE LIST
	F	L	H	D			
	mm	mm	mm	mm			
PCPTV 1-13	1.9	23	10	4.3	Red	1-86	
PCPTV 1-18	1.9	28	10	4.3	Red	2-18	
PCPTV 2-13	1.9	23	10	4.9	Blue	2-21	
PCPTV 2-18	1.9	28	10	4.9	Blue	2-43	
PCPTV5-13	2.8	27	12.5	6.7	Yellow	4.74	
PCPTV 5-18	2.8	30.5	12.5	6.7	Yellow	5.24	

INSULATED MALE TERMINALS


Material : Brass
Plating : Tin
Insulation : PVC



ITEM NO.	NEMA TAB	THICKNESS OF MATERIAL	DIMENSION					PRICE LIST
	mm		B mm	d mm	D mm	L mm	H mm	
PCMDD1-110(8)	0.8*2.8	0.8	2.8	1.70	4.3	17.7	10	1-84
PCMDD1-187(8)	0.8*4.75	0.8	4.75	1.70	4.3	18.5	10	2-18
PCMDD1-250	0.8*6.3	0.4	6.3	1.70	4.3	21.0	10	2-40
PCMDD2-250	0.8*6.3	0.4	6.3	1.70	4.3	21.0	10	2-50
PCMDD5-250	0.8*6.3	0.4	6.3	3.4	5.7	25	14	4-65

INSULATED FEMALE TERMINALS

Material : Brass
Plating : Tin
Insulation : PVC



ITEM NO	NEMA TAB	THICKNESS OF MATERIAL	DIMENSION					PRICE LIST
	mm		B mm	d mm	D mm	L mm	H mm	
PCFDD1-110(8)	0.8*2.8	0.3	3.8	1.7	3.8	19.0	10	1-84
PCFDD1-187(8)	0.8*4.75	0.35	5.6	1.7	3.8	19.0	10	1-95
PCFDD1-250	0.8*6.35	0.4	7.4	1.7	3.8	21.0	10	2-42
PCFDD2-250	0.8*6.35	0.4	7.4	2.3	4.3	21.0	10	2-52
PCFDD5-250	0.8*6.35	0.4	7.4	3.4	5.7	25.0	14	4-97
PCFDD5-375	0.8*6.35	0.4	7.4	3.4	5.7	25.0	14	5-04

INSULATED PIGGY BANK TERMINALS


Material : Brass
Plating : Tin
Insulation : PVC



ITEM NO.	NEMA TAB	WIRE SIZE I _{max}	DIMENSION						PRICE LIST
	mm		B mm	B1 mm	H mm	D mm	d mm	L mm	
PCPBDD 1.25-250	0.8*6.35	0.5-1.5, 10A	7.4	6.3	10.0	3.8	1.7	21.5	3-92
PCPBDD 2-250	0.8*6.35	1.5-2.5, 15A	7.4	6.3	10.0	4.3	2.3	21.5	4-02
PCPBDD 5-250	0.8*6.35	4-6, 24A	7.4	6.3	14.0	5.7	3.4	25	5-47

FULLY INSULATED FEMALE TERMINALS

Material : Brass
Plating : Tin
Insulation : PVC



ITEM NO.	NEMA TAB	WIRE SIZE I _{max}	DIMENSION				PRICE LIST
	mm		W mm	B mm	D mm	L mm	
PCFDFD1-110(8)	0.8*2.8	0.5-1.5, 10A	6.2	3.2	4.0	20	2-84
PCFDFD1-187(8)	0.8*4.75	0.5-1.5, 10A	7.8	5.0	4.0	20	2-84
PCFDFD1-250	0.8*6.3	0.5-1.5, 10A	9.3	6.6	4.0	22.5	3-12
PCFDFD2-250	0.8*6.3	1.5-2.5, 15A	9.3	6.6	4.5	24	3-24
PCFDFD5-250	0.8*6.3	4-6, 24A	9.3	6.6	5.7	25.5	5-97


Material : Brass
Plating : Tin
Insulation : PVC



INSULATED MALE BULLET TERMINALS

ITEM NO.	THICKNESS OF MATERIAL	DIMENSION						COLOR	PRICE LIST
		b	F	D	d	H	L		
PCMPD1-156	0.4	4	11.0	2.7	1.7	10.0	21	Red	2-20
PCMPD2-156	0.4	4	16.0	3.3	2.3	10.0	21	Blue	2-20
PCMPD5-156	0.4	4	11.0	4.5	3.4	14.0	25	Yellow	4-17


Material : Brass
Plating : Tin
Insulation : PVC



INSULATED FEMALE RECEPTACLE

ITEMNO	THICKNESS OF MATERIAL	DIMENSION						COLOR	PRICE LIST
		b	B	D	d	F	L		
PCFRD1-156	0.4	4.0	7.7	2.7	1.7	7.3	23	Red	2-99
PCFRD2-156	0.4	4.0	7.7	3.3	2.3	7.3	23.8	Blue	2-99
PCFRD5-156	0.4	4.0	7.7	4.5	3.4	7.3	25.5	Yellow	5-18


Material : Nylon
Inside Material : Spring Steel



SCREW WIRE END TERMINALS

ITEM NO	CABLE SIZE	DIMENSION(MM)			COLOR	PRICE LIST
		B	C	L		
PCWN1	Min.0.75x1+0.5x1,Max1.5x2	8.5	6.7	15	Grey	2-37
PCWN2	Min.0.75x3,Max1.5x3	10.1	7.4	17.5	Blue	2-70
PCWN3	Min.0.75x3,Max1.5x3+1	12.6	9.9	22.1	Orange	3-48
PCWN4	Min.0.25x1+0.75x1,2.5x4+0.75x1	13.7	10	24.5	Yellow	4-08
PCWN6	Min.0.25x2 Max6x2+4x2	16	13	26.5	Red	6-63

Material : Nylon
Inside Material : Copper/Aluminium




CLOSED END TERMINALS

ITEM NO	A.W.G		DIMENSION(MM)							COLOR	PRICE LIST
	mm2	C	E	L	F	B	Q	D			
PCCE 1	22-16	0.5-1.5	2.55	7.0	15.3	6.3	9	5	9	White	1-45
PCCE 2	16-14	1.5-2.5	3.1	7.0	18.3	8.3	10	5.7	9.1	White	1-60
PCCE 5	12-10	4-6	5.3	7.0	20.0	10	10	8	12	White	2-75
PCCE 8	6	6	7.5	8	25.6	15	10	7	13.5	White	3-45

< CORD END TERMINALS



Material :Copper
Plating : Tin
Insulation : PVC



A. W. G (mm ²)	ITEM NO	DIMENSION(MM)						COLOR	PRICE LIST			
		F	L	W	B	D	C					
24 A.W.G / 0.34mm ²	PCE0306	6.0	14.5	1.9	4.4	1.1	0.8		0.56			
	PCE0308	8.0	14.5	1.9	4.4	1.1	0.8		0.58			
22 A.W.G / 0.5mm ²	PCE0508	8.0	14.5	3.3		1.3	1.0		0.41			
	PCE0510	10.0	16.5						0.42			
	PCE0512	12.0	18.5						0.52			
20 A.W.G / 0.75mm ²	PCE7508	8.0	14.9	3.5	6.6	1.5	1.2		0.41			
	PCE7510	10.0	16.9						0.42			
	PCE7512	12.0	18.9						0.52			
18 A.W.G / 1.0mm ²	PCE1008	8.0	14.8	3.7		1.8	1.2		0.41			
	PCE1010	10.0	16.8						0.42			
	PCE1012	12.0	18.6						0.52			
16 A.W.G / 1.5mm ²	PCE1508	8.0	15.1						0.58			
	PCE1510	10.0	17.6					4.4	2.0	1.4		0.64
	PCE1512	12.0	19.6									0.70
14 A.W.G / 2.5mm ²	PCE2508	8.0	15.8	4.8	7.4				0.61			
	PCE2510	10.0	7.4					2.6	2.1		0.66	
	PCE2512	12.0	19.7								0.75	
12 A.W.G / 4.0mm ²	PCE2518	18.0	25.3						0.99			
	PCE4009	9.0	17.3	5.6	8.3	3.2	2.8		0.99			
	PCE4012	12.0	20.5						1.15			
PCE4018	18.0	26.3						1.37				
10 A.W.G / 6.0mm ²	PCE6012	12.0	21.1	6.9	9.1	3.9	3.5		1.43			
	PCE6018	18.0	26.5						1.61			
8 A.W.G / 10mm ²	PCE10-12	12.0	22.5	8.1	10.1	4.8	4.5		1.65			
6 A.W.G / 16mm ²	PCE16-12	12.0	22.5	9.5	10.4	6.2	5.8		2.65			
6 A.W.G / 16mm ²	PCE25-16	15.9	27.6	11.8	11.8	7.8	7.5		4.5			
A.W.G / 35mm ²	PCE35-18	16.2	29.9	13.3	13.6	8.7	8.3		8.00			
A.W.G / 50mm ²	PCE50-20	20.3	35.9	16.1	15.5	10.9	10.4		10.00			

< NYLON INSULATED FLAG TERMINALS


Material :Brass
Plating : Tin
Insulation : Nylon



ITEM NO	A.W.G	mm ²	DIMENSION(MM)						1max	COLOR	PRICE LIST
			(NEMATAB) W	F	L	D					
PCFLDNY1-187	22-18	0.5-1.5	0.5*4.75	5.0	7.0	15.0	1.7	10A		5-84	
PCFLDNY1-250	22-18	0.5-1.5	0.8*6.35	6.6	7.6	16.0	1.7	10A		6-08	
PCFLDNY2-187	16-14	1.5-2.5	0.5*4.75	5.0	7.0	15.2	2.3	15A		5-95	
PCFLDNY2-250	16-14	1.5-2.5	0.8*6.35	6.6	7.6	16.0	2.3	15A		6-08	
PCFLDNY5-250	12-10	4-6	0.8*6.35	7.0	7.6	17.5	3.4	24A		6-61	

< TWIN CORD END TERMINALS


Material :Copper
Plating : Tin
Insulation : PVC



A. W. G (mm2)	ITEM NO	DIMENSION(MM)						COLOR	PRICE LIST				
		F	L	W	B	D	C						
2*22 A.W.G 2*0.5mm2	PCTE0508	8.0	14.5	5.0	6.5	1.8	1.3	Red	0.82				
	PCTE0510	10.0	16.5					Red	0.87				
2*20 A.W.G 2*0.75mm2	PCTE 7508	8.0	15.3	5.5	7.3	2.1	1.6	Red	0.82				
	PCTE 7510	10.0	17.3					Red	0.87				
2*18 A.W.G 2*1.0mm2	PCTE 1008	8.0	15.3					Yellow, Red	0.82				
	PCTE 1010	10.0	17.3					2.3	2.0	Yellow, Red	0.87		
	PCTE 1012	12.0	19.3					Yellow	0.95				
2*16 A.W.G 2*1.5mm2	PCTE 1508	8.0	17.0					Black, Red	1.09				
	PCTE 1510	10.0	19.0					6.7	8.7	2.6	2.1	Black, Red	1.16
	PCTE 1512	12.0	20.7					Black	1.20				
2*14 A.W.G 2*2.5mm2	PCTE 2508	8.0	18.0					Grey, Blue	1.52				
	PCTE 2510	10.0	19.9					8.0	9.9	3.3	2.7	Grey, Blue	1.75
	PCTE 2512	12.0	22.6					Grey, Blue	1.90				
2*12 A.W.G 2*4mm2	PCTE 4012		23.1	8.8	11.1	4.2	3.8	Grey, Red	2.10				
2*10 A.W.G 2*6mm2	PCTE 6014		26.1	9.5	12.1	5.3	4.9	Green, Black	2.76				
2*8 A.W.G 2*10mm2	PCTE 10-14	14.0	26.3	12.6	12.6	6.9	6.5	Brown, Red	4.85				
2*6 A.W.G 2*16mm2	PCTE 16-14		31.3	19	17.3	8.7	8.3	Blue, Green	6.61				

< NYLON INSULATED MALE FEMALE TERMINALS

Material :Brass
Plating : Tin
Insulation : Nylon



ITEM NO	(NEMA TAB)	DIMENSION(MM)								COLOR	PRICE LIST
		W	F	L	B	D	d	(FIG)	mmsq		
PCDFNY1-250	0.8*6.35	6.6	7.3	22.0	11.0	4.0	1.7	1	0.5-1.5	Red	4-92
PCMDFNY1-250	0.8*6.35	6.35	7.7	23.0	11.0	4.0	1.7	2	0.5-1.5	Red	4-92
PCDFNY2-250	0.8*6.35	6.6	7.3	22.0	11.0	4.5	2.3	1	1.5-2.5	Blue	4-92
PCMDFNY2-250	0.8*6.35	6.35	7.7	24.0	11.0	4.5	2.3	2	1.5-2.5	Blue	4-92
PCDFNY5-250	0.8*6.35	6.6	7.7	24.0	13.0	6.3	3.4	1	4-6	Yellow	5-39
PCMDFNY5-250	0.8*6.35	6.6	7.7	26.0	13.0	6.3	3.4	2	4-6	Yellow	5.39