

Product	Description	HSN	GST Rate	MRP
MULTIFUNCTION METERS				
MFM384-C-CE	LCD multifunction meter with RS485 communication, Harmonics up to 31st level, 100 to 240V AC	90303390	18.00%	7000
MFM384-R-C-CE	Rail mount LCD multifunction meter with RS485 communication, 85 to 270V AC	90303390	18.00%	9268
MFM383A	LCD multifunction meter, 100 to 240V AC	90303390	18.00%	4760
MFM383A-C-CE	LCD multifunction meter with RS485 communication, 100 to 240V AC	90303390	18.00%	5600
MFM284-C-CE	LCD multifunction meter with RS485 communication, 85 to 270V AC	90303390	18.00%	7000
MFM376-230VAC	LED multifunction meter, 230V AC	90303390	18.00%	3710
MFM376-C-CE	LED multifunction meter with RS485 communication, Harmonics up to 31st level, 40 to 270V DC & 85 to 270V AC	90303390	18.00%	5040
PLUG N WIRE MULTIFUNCTION METERS				
MRJ385-G-PNW	LCD Plug-N-Wire multifunction meter with RJ45 current input, RS485 communication, 60 to 300V AC	90303390	18.00%	7652
MRJ4M	Rail mount LCD Plug-N-Wire multifunction meter with RJ45 current input and RS485 communication, 60 to 300V AC	90303390	18.00%	7196
MRJ4M-SL	Rail mount LCD Plug-N-Wire multifunction meter with RJ45 current input, Dual load monitoring and RS485 communication, 60 to 300V AC	90303390	18.00%	8686
MRJ4M-QUAD	4 channel plug n wire	90303390	18.00%	12096
ENERGY METERS				
EM306A	kWh meter with LED display, 100 to 240V AC	90283010	18.00%	3080
EM306A-C	kWh meter with LED display and RS485 communication, 100 to 240V AC	90283010	18.00%	4480
EM368-C-CU	kWh meter with LCD display and RS485 communication, 100 to 240V AC	90283010	18.00%	6300
EM2M-1P-C-100A	1Ø Direct 100A kWh meter, 176 to 276V AC (Self powered) 1Ø Direct 100A kWh meter, 176 to 276V AC (Self powered)	90303390	18.00%	3142
VAF36A-230-CE	Digital VAF meter with LCD display, Bar graph representation for current, Built in RPM / RUN hour measurement, 230V AC	90303310	18.00%	3500
VAF39A-1-230V	Digital VAF meter with LED display, Built in RPM / RUN hour measurement, 230V AC	90303310	18.00%	2170
MFM391	Digital LED Meter with Power and Power Factor	90303310	18.00%	1842
DIGITAL PANEL METERS				
MA12	1Ø Digital ammeter with LED display, 230V AC	90303310	18.00%	865
MA12-20A-AC	1Ø Digital ammeter with LED display, 20A direct input, 230V AC	90303310	18.00%	1445
MA12-75mV-DC	1Ø Digital ammeter with LED display, 75mV DC shunt input, 230V AC	90303310	18.00%	1540
MA202	1Ø Digital ammeter with LED Display, 230V AC	90303310	18.00%	865
MA302	1Ø Digital ammeter with LED display, 230V AC	90303310	18.00%	865
MA335-230VAC	3Ø Digital ammeter with LED display, 230V AC	90303310	18.00%	1518
MA501-230V-CE	1Ø Digital ammeter with LCD display, Bar graph representation for current, 230V AC	90303310	18.00%	1411
MA2301-230V-CE	3Ø Digital ammeter with LCD display, Bar graph representation for current, 230V AC	90303310	18.00%	1884
MV15	1Ø Digital voltmeter with LED display, 230V AC	90303310	18.00%	812
MV205	1Ø Digital voltmeter with LED display, 230V AC	90303310	18.00%	812
MV305	1Ø Digital voltmeter with LED display, 230V AC	90303310	18.00%	812
MV334-230V	3Ø Digital voltmeter with LED display, 230V AC	90303310	18.00%	1347
MV507-230V-CE	1Ø Digital voltmeter with LCD display, Bar graph representation for voltage, 230V AC	90303310	18.00%	1336
MV2307-230V-CE	3Ø Digital voltmeter with LCD display, Bar graph representation for voltage, 230V AC	90303310	18.00%	1806
AUTOMATIC POWER FACTOR CONTROLLER				
APFC347-108-230V	Power factor controller with 1CT, 8 Stage, LED Display, 85-270V AC	90328910	18.00%	6230
APFC147-108-90/550V	Power factor controller with 1CT, 8 Stage, LED Display, 90-550V AC	90328910	18.00%	7350
APFC147-112-90/550V	Power factor controller with 1CT, 12 Stage, LED Display, 90-550V AC	90328910	18.00%	8470
APFC148-312-90/550V	Power factor controller with 3CT, 12 Stage, LCD Display, 90-550V AC	90328910	18.00%	11760
APFC146-112-90/550V-CE-RoHS	LCD Type Intelligent power factor controller with 12 steps. Power supply range 90/550V	90328910	18.00%	8056
AUTO SWITCH				
Auto switch-313/457V	Single phase preventer with under and over voltage protection with user selectable modes.	85363000	18.00%	1095
Auto switch-190/400V	Single phase preventer with under and over voltage protection with user selectable modes.	85363000	18.00%	1095

Product	Description	HSN	GST Rate	MRP
PROTECTION RELAY				
600PSR	3Ø-3W, Phase failure, Phase sequence, Phase asymmetry, 1 C/O	85363000	18.00%	1193
800PSR	3Ø-3W, Phase failure, Phase sequence, Phase asymmetry, 1 C/O ,	85363000	18.00%	700
642PSR	3Ø-3W, Phase failure, Phase sequence, Phase asymmetry, DIN rail & Wall mount, 1 C/O	85363000	18.00%	1005
600SPP	3Ø-3W, Phase failure, Phase asymmetry, 1 C/O	85363000	18.00%	1333
SPPA2M2	3Ø-3W, Under / Over voltage, Phase failure, Phase asymmetry, 2 C/O DPDT	85363000	18.00%	1299
600VPR-310/520	3Ø-3W, Under / Over voltage, Phase failure, Phase sequence, 1C/O	85363000	18.00%	1795
800VPR-3	3Ø-3W, Under / Over voltage, Phase failure, Phase sequence, 1 C/O	85363000	18.00%	1498
900VPR-2-280/520V	3Ø-3W, 3Ø-4W, Under / Over voltage, Phase failure, Phase sequence, Phase asymmetry, Under / Over frequency, 2 x 1 C/O, Self powered	85363000	18.00%	2352
900VPR-BL-U-CE	3Ø-3W, 3Ø-4W, Under / Over voltage, Phase failure, Phase sequence, Phase asymmetry, Under / Over frequency, Neutral loss, 2 x 1C/O, 85 to 270V AC / DC	85363000	18.00%	3968
VPRA2M	Analog ,1Ø-2W, 3Ø-4W, Under / Over voltage, Phase failure, Phase sequence, Phase asymmetry, 2 C/O DPDT	85363000	18.00%	1607
VPRD2M	Digital ,1Ø-2W, 3Ø-4W, Under / Over voltage, Phase failure,Phase sequence, Phase asymmetry, Under / Over frequency,2 C/O DPDT	85363000	18.00%	2106
900CPR-1-230V	1Ø, Over / Under current monitoring, 1 C/O, 230V AC	85363000	18.00%	2649
900CPR-3-230V	1Ø & 3Ø, Over / Under current monitoring, Current asymmetry,1 C/O, 230V AC	85363000	18.00%	3088
900CPR-1-BL-U-CE	1Ø, Backlight, Over / Under current monitoring, 2 x 1 C/O, 85 to 270V AC / DC	85363000	18.00%	3968
900CPR-3-1-BL-230V-CE	3Ø, Backlight Over / Under current monitoring, Current asymmetry, 1 C/O, 230V AC	85363000	18.00%	3968
900ELR-2-230V	Digital earth leakage relay, Leakage Current range : 30mA to 30A, 2 x 1 C/O, 230V AC	85364900	18.00%	3785
ELRA2M2-1-230V-CE	Analog earth leakage relay, Leakage current range : 30mA to 30A , 1 C/O, 230V AC	85364900	18.00%	2520
ELCTR35-1-30mA-230V	Earth leakage relay with inbuilt CBCT Leakage current fixed : 30mA, 1 C/O, 230V AC	85363000	18.00%	1515
ELCTR35-1-300mA-230V	Earth leakage relay with inbuilt CBCT, Leakage current fixed : 300mA, 1 C/O, 230V AC	85363000	18.00%	1515
CBCT-35-1	Core balance current transformer with Dia 35mm	85364900	18.00%	840
CBCT-70-1	Core balance current transformer with Dia 70mm	85364900	18.00%	1224
CBCT-120-1	Core balance current transformer with Dia 120mm	85364900	18.00%	3159
CBCT-210-1	Core balance current transformer with Dia 210mm	85364900	18.00%	5600
CBCT-310-1	Core balance current transformer with Dia 310mm	85364900	18.00%	8089
900EFR-BL-U-CE-ROHS	Digital earth fault relay, 2 x 1 C/O, 85 to 270V AC / DC	85363000	18.00%	3786
EFCT 220/50 630 /1A VA1 CL1	Earth fault Current Transformer 630A ,Window Size : 220x50 mm	85043100	18.00%	1669
EFCT 180/35 630 /1A VA1 CL1	Earth fault Current Transformer 630A ,Window Size : 180x35 mm	85043100	18.00%	1406
EFCT 180/35 250 /1A VA1 CL1	Earth fault Current Transformer 250A ,Window Size : 180x 35 mm	85043100	18.00%	1212
EFCT 140/35 250/1A VA1 CL1	Earth fault Current Transformer 250A ,Window Size : 140x35 mm	85043100	18.00%	1112
EFCT 140/35 160/1A VA1 CL1	Earth fault Current Transformer 160A ,Window Size : 140x 35 mm	85043100	18.00%	1159
EFCT 100/25 160/1A VA1 CL1	Earth fault Current Transformer 160A ,Window Size : 100x25 mm	85043100	18.00%	795
MPR-3M-2-415V	Analog motor protection relay, 2 C/O, 415V	85363000	18.00%	2702
MPR-3M-2-230V	Analog motor protection relay, 2 C/O, 230V	85363000	18.00%	2464
MPR-341-2	Digital panel mount motor protection relay, 2 x 1C/O, 85 to 270V AC / DC	85363000	18.00%	2708
PPRA-4M-3-415V	3Ø-3W, Analog pump protection relay, Up to 80A via MPCT, 1 C/O, 415V	85363000	18.00%	2360
PPRD-4M-3-415V	3Ø-3W, Digital pump protection relay, Push button type,Up to 80A via MPCT, 1 C/O, 415V	85363000	18.00%	2377
PPRD-4M-1-230V	1Ø-2W ,Digital Pump Protection relay ,Direct 30A	85363000	18.00%	2120
PPRA-4M-1-230V	1Ø-2W ,Analog Pump Protection relay ,Direct 30A	85363000	18.00%	2094
PPRWD-4M-1	1Ø-2W ,Digital Pump Protection relay with WLC ,Direct 30A	85363000	18.00%	2344
MPCT D15 10A/100mA	Motor protection current transformer, up to 10A	85043100	18.00%	755
MPCT D15 40A/100mA	Motor protection current transformer, up to 40A	85043100	18.00%	862
MPCT D15 80A/100mA	Motor protection current transformer, up to 80A	85043100	18.00%	983
TPRA2M1-1-U-CE	Thermistor protection relay for motor winding protection,2 C/O, 90 to 270V AC / DC	85363000	18.00%	1926
ELRA341-1	Panel Mount ELR, Leakage Current range : 30mA to 30A, 85 to 270 V AC/DC	85363000	18.00%	2808
CONTROLLER				
WLCA-2M-U-CE-ROHS	Two tank water level controller with single device, 2 x1 NO,85 to 270V AC / DC	90328910	18.00%	1910
WLC Sensor	Set of 3 stainless sensor	90328910	18.00%	524

Product	Description	HSN	GST Rate	MRP
TEMPERATURE CONTROLLER				
TC544C	Dual bright display, Dual set point, Short depth temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC Dual bright display, Dual set point, Short depth temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	2450
TC544B	Dual display, Dual set point, Short depth temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	2380
TC513BX	Single display, Single set point, Short depth temperature controller with Relay / SSR output, 90 to 270V AC / DC Single display, Single set point, Short depth temperature controller with Relay / SSR output, 90 to 270V AC / DC	90328990	18.00%	1856
TC533BX	Dual display, Single set point, Short depth temperature controller with Relay / SSR output, 90 to 270V AC / DC Dual display, Single set point, Short depth temperature controller with Relay / SSR output, 90 to 270V AC / DC	90328990	18.00%	2100
TC538BX	Dual display, Single set point, Short depth temperature controller with Relay / SSR, 90 to 270V AC / DC	90328990	18.00%	2260
TC538CX	Dual display, Single set point, Short depth temperature controller with Relay / SSR, 90 to 270V AC / DC	90328990	18.00%	2450
TC544A	Dual display, Dual set point, Temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	2862
TC544A-24V	Dual display, Dual set point, Temperature controller with Relay / SSR & Relay output, 24V DC	90328990	18.00%	3595
TC244AX	Dual display, Dual set point, Temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	3069
TC344AX	Dual display, Dual set point, Temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	3226
TC513AX	Single display, Single set point, Temperature controller with Relay / SSR output, 90 to 270V AC / DC	90328990	18.00%	2070
TC203AX	Single display, Single set point, Temperature controller with Relay / SSR output, 90 to 270V AC / DC	90328990	18.00%	2226
TC303A	Single display, Single set point, Temperature controller with Relay output, 90 to 270V AC / DC	90328990	18.00%	2013
TC303AX	Single display, Single set point, Temperature controller with Relay with NC contact / SSR output, 90 to 270V AC / DC Single display, Single set point, Temperature controller with Relay with NC contact / SSR output, 90 to 270V AC / DC	90328990	18.00%	2226
TC533AX	Dual display, Single set point, Temperature controller with Relay / SSR output, 90 to 270V AC / DC	90328990	18.00%	2394
TC233AX	Dual display, Single set point, Temperature controller with Relay / SSR output, 90 to 270V AC / DC	90328990	18.00%	2537
TC333AX	Dual display, Single set point, Temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	2755
TC52-400-J-230	Analog temperature controller, J type input, 90 to 270V AC / DC	90328990	18.00%	1698
DTC503	Low cost temperature controller with J,K, RTD input, 90 to 270V AC / DC	90328990	18.00%	1680
DTC331	Low cost temperature controller with J,K type input, 90 to 270V AC / DC	90328990	18.00%	1680
DTC231	Low cost temperature controller with J,K type input, 90 to 270V AC / DC	90328990	18.00%	1856
DTC204A-2	Single display, Dual set point, Temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	2626
DTC324A-2	Single display, Dual set point, Temperature controller with Relay / SSR & Relay output, 90 to 270V AC / DC	90328990	18.00%	2626
TC513CX	48 x 48mm size temperature controller with single bright, Large white display	90328990	18.00%	2030
IDM	Independent Downloader Module	90328990	18.00%	1400
PID TEMPERATURE CONTROLLER				
PID528-1	PID controller with 2 relay outputs, 90 to 270V AC / DC	90328990	18.00%	5183
PID500-T-0-0-01	PID controller with TC / RTD input and 3 relay outputs, 90 to 270V AC / DC	90328990	18.00%	5638
PID500-T-2-0-00	PID controller with TC / RTD input and 4-20mA analog output + 1 relay output, 90 to 270V AC / DC	90328990	18.00%	4878
PID500-T-1-0-01	PID controller with TC / RTD input and SSR output + 2 relay outputs, 90 to 270V AC / DC	90328990	18.00%	5552
PID500-0-0-01	PID controller with Universal Input and 3 relay outputs, 90 to 270V AC / DC	90328990	18.00%	5421
PID500-0-0-04	PID controller with Universal Input and 3 relay outputs + RS485 communication, 90 to 270V AC / DC	90328990	18.00%	6208
PID500-1-0-01	PID controller with Universal Input and SSR output + 2 relay outputs, 90 to 270V AC / DC	90328990	18.00%	6838
PID500-2-0-01	PID controller with Universal Input and 4-20mA analog output + 2 relay outputs, 90 to 270V AC / DC	90328990	18.00%	7050
PID500-2-0-04	PID controller with Universal Input and 4-20mA analog output + 2 relay outputs + RS485 communication, 90 to 270V AC / DC	90328990	18.00%	9052
PID500-3-0-00	PID controller with Universal Input and 0-10VDC analog output + 1 relay output, 90 to 270V AC / DC	90328990	18.00%	6694
PID110-0-0-01	PID controller with Universal Input and 3 relay outputs, 90 to 270V AC / DC	90328990	18.00%	5421
PID110-2-0-04	PID controller with Universal Input and 4-20mA analog output + 2 relay outputs + RS485 communication, 90 to 270V AC / DC	90328990	18.00%	8598
PID330-0-0-01	PID controller with Universal Input and 3 relay outputs, 90 to 270V AC / DC	90328990	18.00%	5421
PID330-2-0-04	PID controller with Universal Input and 4-20mA analog output + 2 relay outputs + RS485 communication, 90 to 270V AC / DC	90328990	18.00%	8598
PID330-0-0-04	PID controller with Universal Input and 3 relay outputs + RS485 communication, 90 to 270V AC / DC	90328990	18.00%	8220
PR502-0-0-1	Profile controller with 160 ramp soak steps, 2 relay output + RS485 communication, 90 to 270V AC / DC	90328990	18.00%	11380
PR502-2-0-0	Profile controller with 160 ramp soak steps, 4-20mA analog output, 90 to 270V AC / DC	90328990	18.00%	9944

Product	Description	HSN	GST Rate	MRP
DIGITAL TEMPERATURE CONTROLLER				
CH403-1-NTC	3 Digits cooling controller with Relay & SSR output	90328990	18.00%	1526
CH403-2-NTC	3 Digits cooling controller with 20A Relay output	90328990	18.00%	1610
CH403-3-NTC	3 Digits cooling controller with 2 Relay outputs	90328990	18.00%	2285
CH403A-1-NTC	2 ½ Digits cooling controller with Relay & SSR output	90328990	18.00%	1526
CH403A-2-NTC	2 ½ Digits cooling controller with 20A Relay output	90328990	18.00%	1610
CH403A-3-NTC	2 ½ Digits cooling controller with 2 Relay outputs	90328990	18.00%	2285
CH403B-1-NTC	Cooling controller with touch pad and white display , 10 A relay Output equivalent to SZ7510T	90328990	18.00%	1557
CH403B-2-NTC	Cooling controller with touch pad and white display , 20 A relay Output equivalent to SZ7569T	90328990	18.00%	1725
RSS-TD1A140ZP	40A SSR with DC input	85364900	18.00%	706
PROCESS INDICATORS				
PIC152A-VI	Process indicator with universal input & retransmission output, 90 to 270V AC / DC	90303390	18.00%	4796
PIC152A-VI-24V	Process indicator with universal input & retransmission output, 24V DC	90303390	18.00%	5496
PIC101-N	Process indicator with universal input & inbuilt 24V DC sensor supply, 90 to 270V AC / DC	90303390	18.00%	2575
PIC101-N-24	Process indicator with universal input & inbuilt 24V DC sensor supply, 24V DC	90303390	18.00%	3310
PIC101A-T-230	Process indicator with TC & RTD input, 230V AC	90303390	18.00%	1719
PIC101A-VI-230	Process indicator with Voltage & Current input, 230V AC	90303390	18.00%	1588
PIC501A-VI-230	Process indicator with Voltage & Current input, 230V AC	90303390	18.00%	1602
TIME SWITCHES				
TS2M1-1-16A-230V	DIN Rail - daily / weekly time switch, 1 C/O, 230V AC	91070000	18.00%	1820
TS1W1-1-20A-230V	Wall mount - daily / weekly time switch, 230V AC/Wall mount - daily / weekly time switch, 230V AC	91070000	18.00%	1540
ATS2M1-1-16A-230V	DIN Rail - astronomical time switch, 1 C/O, 230V AC	91070000	18.00%	3220
TS2M1-2-16A-230V-CE	Timeswitch with Dual Channel	91070000	18.00%	2624
DIN RAIL TIMERS				
600ST	Single function timer, 0.1 sec to 3 hr, 1 C/O, 240V AC	85364900	18.00%	997
600XU-A-1-CU	Multi function timer, 0.1 sec to 3 hr, 1 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1383
600SD-2-230	Star Delta timer, 3 sec to 60 sec, 2 C/O, 230V AC	85364900	18.00%	1383
642SQ-A	Timer with On delay / Interval modes, 0sec to 60mins, 1 C/O, 230V AC & 24V DC	85364900	18.00%	795
642XA	Timer with On delay / Interval modes, 0sec to 60mins, 1 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1072
DIN RAIL TIMER 800 (SERIES)				
800XU	Timer with On delay / Interval modes, 1sec to 30hr, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1397
800XA	Timer with On delay / Interval modes, 3sec to 60mins, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1072
800SQ-A	Timer with On delay / Interval modes, 3sec to 60mins, 1 C/O, 230V AC & 24V AC / DC	85364900	18.00%	795
800S-1-ON-60S-230	Single function, 60sec, 1 C/O, 230V AC	85364900	18.00%	750
800S-1-ON-60S-415	Single function, 60sec, 1 C/O, 415V AC	85364900	18.00%	1048
800SD-2-230V	Star Delta timer, Run time : 30 / 60sec, Change over : 50 / 100ms, 2 C/O, 230V AC	85364900	18.00%	1000
800SD-2-110V	Star Delta timer, Run time : 30 / 60sec, Change over : 50 / 100ms, 2 C/O, 110V AC	85364900	18.00%	1190
800SD-2-415V	Star Delta timer, Run time : 30 / 60sec, Change over : 50 / 100ms, 2 C/O, 230 to 450V AC	85364900	18.00%	1138
800XC	Cyclic timer, 1sec to 10hr, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1537
800XMR	Forward pause reverse timer, On time : 1 to 8min Pause time : 10 to 80sec 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1932
800POD-180S	True power off delay timer, 180sec, 2 C/O, 100 to 240V AC	85364900	18.00%	2798

Product	Description	HSN	GST Rate	MRP
PANEL MOUNTED TIMER				
55XU-T	Panel mount timer with On delay / Interval modes, 1sec to 30hr, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1546
55XU-P	Plug in timer with On delay / Interval modes, 1sec to 10hr, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1546
55XC-P8	Plug in timer with cyclic function, 1sec to 10hr, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1660
55XC-T8	Panel mount timer with cyclic function, 1sec to 10hr, 2 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1660
55ES-P8-230	Plug in timer with On delay / Interval modes, 3sec to 60min, 1 C/O, 230V AC & 24V AC / DC	85364900	18.00%	896
55ES-T-230	Panel mount timer with On delay / Interval modes, 3sec to 60min, 1 C/O, 230V AC & 24V AC / DC	85364900	18.00%	896
55Q(V1.1)-P8-230	Panel mounted On Delay / Interval Timer, 0Sec to 60min	85364900	18.00%	1137
55Q(V1.1)-T8-230	Panel mounted On Delay / Interval Timer, 0Sec to 60min	85364900	18.00%	1137
DIGITAL TIMERS				
600DT	Digital multi function timer, 0.1 sec to 999hr, 1 C/O, 20 to 240V AC & 12 to 240V DC	85364900	18.00%	1840
XT543-N	Multi function timer, 0.01sec to 999hr, 2 C/O, 90 to 270V AC / DC	85364900	18.00%	2167
XT56-N	Thumbwheel timer with On delay / Interval modes, 0.01sec to 99.9hr, 2 C/O, 90 to 270V AC / DC	85364900	18.00%	2590
XT56N-24	Thumbwheel timer with On delay / Interval modes, 0.01sec to 99.9hr, 2 C/O, 24V AC / DC	85364900	18.00%	3470
XT264-3	Thumbwheel timer with On delay / Interval modes, 0.01sec to 99.9hr, 2 C/O, 90 to 270V AC / DC	85364900	18.00%	2450
XT364-3	Thumbwheel timer with On delay / Interval modes, 0.01sec to 99.9hr, 2 C/O, 90 to 270V AC / DC	85364900	18.00%	2618
XT546BX	Multi function timer with short depth, 0.01sec to 999hr, 2 C/O, 85 to 270V AC	85364900	18.00%	2413
XT546	Multi function timer, 0.01sec to 999hr, 2 C/O, 85 to 270V AC	85364900	18.00%	2413
XT546-24V	Multi function timer, 0.01sec to 999hr, 2 C/O, 24V AC / DC	85364900	18.00%	3150
XT246	Multi function timer, 0.01sec to 999hr, 2 C/O, 85 to 270V AC	85364900	18.00%	2413
XT246-24V	Multi function timer, 0.01sec to 999hr, 2 C/O, 24V AC / DC	85364900	18.00%	3173
XT346	Multi function timer, 0.01sec to 999hr, 2 C/O, 85 to 270V AC	85364900	18.00%	2413
XT5042	Multi function timer, 0.01sec to 999hr, 2 C/O, 90 to 270V AC / DC	85364900	18.00%	4245
XT5042-24	Multi function timer, 0.01sec to 999hr, 2 C/O, 24V AC / DC	85364900	18.00%	4983
PT380	Sequential timer with 8 channels, 0.01sec to 999.9hr, 85 to 270V AC / DC	85364900	18.00%	7518
TIME INTERVAL METERS / HOUR METER				
TI103C	Time interval meter, 90 to 270V AC / DC	91069000	18.00%	7413
TT412	Hour meter, 90 to 270V AC / DC	91069000	18.00%	2510
LT920A-C	Hour meter with contact input, front reset, battery powered	91069000	18.00%	1022
LT920A-V	Hour meter with voltage input, front reset, battery powered	91069000	18.00%	1022
LT945A-C	Hour meter with contact input, battery powered	91069000	18.00%	1022
LT945A-V	Hour meter with voltage input, battery powered	91069000	18.00%	1022
LTC9A	LCD Counter with timer/counter selectable & contact/voltage input selectable			1022
COUNTERS				
XC22B-4-230	Thumbwheel counter, 2 C/O, 230V AC	90291090	18.00%	3500
XC22B-4-AR-M1-230	Thumbwheel counter with memory retention, 2 C/O, 230V AC	90291090	18.00%	3878
XC1200	Programmable counter with rate indicator, 2 C/O, 90 to 270V AC / DC	90291090	18.00%	5880
XC3200	Programmable counter with rate indicator, 2 C/O, 90 to 270V AC / DC	90291090	18.00%	3920
XC2200	Programmable counter with rate indicator, 2 C/O, 90 to 270V AC / DC	90291090	18.00%	3780
LXC900A-C	LCD counter with contact input, battery powered	90291090	18.00%	1022
LXC900A-V	LCD counter with voltage input, battery powered	90291090	18.00%	1022
XC410	LED counter, 90 to 270V AC / DC	90291090	18.00%	2233
XC410A-1-230	LED counter, 230V AC	90291090	18.00%	2233
XC10D	LED counter, 90 to 270V AC / DC	90291090	18.00%	2475
XTC5400	Multi function timer with counter, 2 C/O, 90 to 270V AC / DC	85364900	18.00%	4245
RATE INDICATORS				
SMRD4M1-2-U-CE	Speed monitoring relay, 2 C/O, 90 to 270V AC / DC	90314900	18.00%	3735

Product	Description	HSN	GST Rate	MRP
ACCESSORIES				
ADAPTER PLATES 72 X 48 (FG)	Adapter plate 72mm x 48mm	39269099	18.00%	183
ADAPTER PLATES 96 X 48 (FG)	Adapter plate 96mm x 48mm	39269099	18.00%	183
ADAPTER PLATES 96 X 72 (FG)	Adapter plate 96mm x 72mm	39269099	18.00%	183
AP14496	Adapter plate for APFC	39269099	18.00%	183
AP6050	Adapter plate 60 x 50mm for LCD series)	39269099	18.00%	72
TSP04	NTC Probe Sensor	90259000	18.00%	505
SNUBBER	Snubber Circuit	85363000	18.00%	114
PLCT 21/25 60 /1A VA 1 CL 3	Plug n wire CT used with MRJ Series	85043100	18.00%	1113
PLCT 21/25 100 /1A VA 1 CL 3	Plug n wire CT used with MRJ Series	85043100	18.00%	1172
PLCT 21/25 125 /1A VA 1.5 CL 1	Plug n wire CT used with MRJ Series	85043100	18.00%	1216
PLCT 21/25 150 /1A VA 2.5 CL 0.5	Plug n wire CT used with MRJ Series	85043100	18.00%	1252
PLCT 21/25 160 /1A VA 2.5 CL 0.5	Plug n wire CT used with MRJ Series	85043100	18.00%	1276
PLCT 21/25 200 /1A VA 3 CL 0.5	Plug n wire CT used with MRJ Series	85043100	18.00%	1365
PLCT 21/25 250 /1A VA 3 CL 0.5	Plug n wire CT used with MRJ Series	85043100	18.00%	1480
CTV CONVERTOR 1A/330 mv	Convertor use with MRJ Series	85043100	18.00%	1068
ACH-003	Standard Cable – RJ45 to RJ45 (8Pin) used with MRJ Series	85444299	18.00%	465
SOFTWARE				
ENVIEW	Front-End Software of Meters of Communication Type	85238020	18.00%	40225